

Fire Plan for Taranaki

2024–2027



Document Title: Taranaki, Te Ūpoko [info type (subject)]

Published: 27 July 2024

Document review date: February 2027

Status of this document

This document is issued by Fire and Emergency New Zealand.

Recommendations for change

The document, its content and specific processes are not to be altered except through Fire and Emergency New Zealand document management processes.

Requests or recommendations for changes to this material should be sent to the District Manager, Taranaki District. See [Local contacts](#).

© 22 July 2024 Fire and Emergency New Zealand

Contents

Introduction	1
How to use this document.....	1
Why do we have fire plans?	1
Content of the fire plans.....	1
Describe local fire risk conditions.....	1
Set out policy	2
Set out procedures	2
Take Fire and Emergency’s other requirements, agreements, and policies into account.....	2
Cover the entire area	2
Set out Fire and Emergency’s fire control powers	2
Local area and zones.....	3
Local area	3
Zones	3
Consultation.....	3
Publish a notice	3
Consider submissions	3
Include a list of key stakeholders	3
Review and amendment.....	4
4 Rs of emergency management.....	4
Reduction	4
Readiness.....	5
Response	5
Recovery.....	6
Our commitment to working with Māori as tangata whenua	6
National Framework for Fire Control	6
Our policies.....	7
Fire risk conditions	7
Fire seasons	9
Open fire seasons	10
Restricted fire seasons	10
Prohibited fire seasons.....	10
Trigger thresholds for changing fire seasons	11
Prohibiting fires in open air (section 52)	11
Trigger thresholds for prohibiting fire in open air.....	12
Restricting and prohibiting activities (section 52).....	12
Trigger thresholds for restricting or prohibiting activities under section 52	13
Activities and risk mitigation	13
Forestry operations	13
Powerline auto-reclosers	14
Hot works	14
Retail fireworks and pyrotechnics.....	14
Communicating changes in fire seasons and restrictions or prohibitions	15

Fire permits.....	16
Council bylaws, regional plans, legal covenants, or restrictions	16
When a permit is needed	16
Fire types	16
Authorised fire types, descriptions and conditions in a restricted fire season.....	17
Authorised fire types on public conservation land in a restricted fire season.....	19
Authorised fire types, descriptions and conditions in a prohibited fire season	19
Authorised fire types on public conservation land in a prohibited fire season	21
Permits in prohibited fire seasons or during prohibitions under section 52	21
Applying for a permit.....	22
Assessment.....	22
Mandatory conditions	23
Firebreaks	23
Fire hazard removal.....	24
Reporting fire hazards	24
Assessment of fire hazards.....	24
Initial review	24
Risk assessment matrix	25
Outcomes from the fire hazard assessment	26
Powers of entry	26
Fire hazard removal notice (section 65).....	26
Imminent danger notice (section 68).....	27
Regulatory compliance	27
Fire and Emergency's role	27
Contact Fire and Emergency.....	27
General enquiries and questions.....	27
Lodge a complaint	28
Fire hazards	28
Local contacts for this plan.....	28
Glossary	29
Taranaki information	31
Area overview.....	32
Local contacts	34
Schedule of stakeholders	35
National-level stakeholders.....	35
Area-level stakeholders.....	37
Zone information.....	38
Northern Taranaki Zone	38
Thresholds	42
Zone Map.....	44
Central Taranaki Zone	45
Thresholds	49
Zone Map.....	51
Southern Taranaki Zone	52
Thresholds	55

Zone Map.....	58
Ngaere Peat Swamp Zone	59
Thresholds	61
Zone Map.....	64
Public Conservation Land	65
Thresholds	65
Map	66
Appendix 1 - Taranaki land cover map	67

Document drafting information

Owner	Region Manager, Te Ūpoko
Steward	District Manager Taranaki
Last reviewed	15/07/2024
Review period	Every three years

Record of amendments

Version	Date	Brief description of amendment
V 1.0	28 April 2021	Issued for public consultation
V 2.0	30 July 2021	Public consultation feedback incorporated and published. Plan approved for use.
V 3.0	15 February 2024	Revisions and updates Issued for public consultation
V 4.0	22 July 2024	Public consultation feedback incorporated and published. Plan approved for use

Approval

Full Name: Bruce Stubbs

Title: Region Manager

Date: 3.07.2024



Signature

Introduction

How to use this document

The front sections of this document cover:

- general information about fire plans
- the basics of Fire and Emergency New Zealand's fire control powers
- how we use these powers to reduce the risk of unwanted fires, particularly in the open air.

The back section, [<Local area> information](#), is for specific local information about this fire plan area. Fire plans must take the local fire risk conditions into account and not just apply a blanket standard across the country. All of our areas have different levels of risk, so what may be appropriate for one area of the country may not apply somewhere else.

Why do we have fire plans?

Fire plans are required by [section 22](#) of the [Fire and Emergency New Zealand Act 2017](#) (the Act) and the [Fire and Emergency New Zealand \(Fire Plans\) Regulations 2018](#).

According to [Regulation 5](#) of the Regulations, the purpose of a fire plan is to:

- provide transparency and predictability in relation to the use of Fire and Emergency's fire control powers under sections [52 to 58](#) and [62 to 68](#) of the [Fire and Emergency New Zealand Act 2017](#) in each local area; and
- ensure that the particular fire risk conditions in each local area are considered by Fire and Emergency when it establishes policies and procedures for, and exercises fire control powers within, that local area.

This means that we need to explain how we:

- set locally appropriate triggers for changing fire seasons for outdoor fires to:
 - require permits
 - prohibit fires
 - restrict activities that may cause unwanted fires
- apply our other powers to manage fire hazards or require firebreaks.

These explanations help people to understand what to expect, how to plan for this and what they need to do to comply with any requirements.

Content of the fire plans

This Fire Plan is about how, when and why Fire and Emergency will exercise its fire control powers to reduce the incidence of unwanted fires in the area.

Fire plans are not about how we fight fires in the local area, or the resources available to do so.

Fire plans must do the following.

Describe local fire risk conditions

A fire plan must describe the particular fire risk conditions that exist or are likely to exist in the local area. This means that each fire plan:

- is accurate and relevant for its area
- can be broken down into specific zones within the area where fire risk conditions or control measures differ.

Set out policy

A fire plan must set out the policy for fire control in the local area. It must specify when and why we:

- restrict or prohibit fires in the outdoors
- restrict activities that may cause unwanted fires
- manage fire hazards
- require firebreaks.

Set out procedures

A fire plan must set out fire control procedures for the local area. These include:

- details of the processes that Fire and Emergency will follow
- factors that Fire and Emergency will consider when deciding to:
- issue notices of prohibitions or restrictions for fire control under [section 52](#) of the Act
 - declare a prohibited or restricted fire season in relation to the local area, or a part of that area, under [section 56](#) of the Act
 - issue notices in relation to firebreaks under [section 62](#) of the Act
 - issue notices to remove or destroy vegetation or other things on land under [section 65](#) of the Act.

This means that our communities understand how we have come to those decisions, and that we can show that they are evidence-based decisions that don't impact on recreational and economic activities unnecessarily.

Take Fire and Emergency's other requirements, agreements, and policies into account

- A fire plan must be consistent with:
- Fire and Emergency's national strategy
- any local planning by Fire and Emergency for the local area
- any current operational service agreement and memorandum of understanding that Fire and Emergency has with other agencies or people relevant to the local area
- any relevant Fire and Emergency policies. The first part of this template highlights policies that impact our regulatory role, However, fire plans must comply with other Fire and Emergency internal policies, such as records management.

Cover the entire area

A fire plan must cover the entire local area that it relates to, but we can break each area down into smaller zones to manage them individually. This ensures that each fire plan is relevant to everywhere within its area.

Set out Fire and Emergency's fire control powers

Fire plans are not about how we fight fires in the local area, or the resources available to do so. This plan is about how, when and why Fire and Emergency will exercise its fire control powers to reduce the incidence of unwanted fires in the area.

Local area and zones

Local area

In these fire plans, local area is the area within each Local Advisory Committee's (LAC's) boundaries.

The Fire and Emergency New Zealand (Fire Plans) Regulations 2018 indicate that Fire and Emergency must prepare and issue a fire plan for each local area as soon as possible after the boundaries of the LAC for the local area are set.

In May 2019, the Board of Fire and Emergency New Zealand approved LAC boundaries aligned with the Civil Defence Emergency Management Group (CDEMG) boundaries as originally proposed and publicly consulted. There was one modification in the Hawke's Bay LAC area to include the Tararua District.

Zones

When dividing a local area into zones, we consider factors such as climatic conditions, geographical features, land use or territorial authority.

We also look at previous analyses of the wildfire threat.

Applying fire seasons to zones

When we apply fire seasons to a zone, we consider:

- whether they season make sense from a fire science point of view
- how we can communicate to the public where the boundaries are.

Consultation

Before issuing a fire plan for a local area, or an amended fire plan, Fire and Emergency must do the following:

Publish a notice

The notice should:

- outline the proposed plan
- say where you can see and read a copy of the plan
- say how you can make a submission on the plan and where to send your submissions
- give the closing date and time for submissions.

It must be published in the Gazette, or in a newspaper circulating in the local area, or a website.

Consider submissions

Fire and Emergency New Zealand must consider every submission received by the closing date and time for submissions.

Include a list of key stakeholders

A fire plan should include a list of key stakeholders in the local area and zone information. Stakeholders include those who:

- were involved in creating the plan
- should contribute to maintaining it and making relevant decisions.

Record stakeholder engagement

Fire and Emergency will record stakeholder engagement and their inputs in the stakeholder engagement plan for the fire plan.

Review and amendment

Fire and Emergency may amend a fire plan at any time.

However, we must review the fire plan for each local area at least once every 3 years, or if there are significant changes to the boundaries of the local area.

When we review the fire plan for a local area, we must either:

- confirm that the fire plan is still appropriate for that area
- amend the fire plan as necessary and consult on changes.

4 Rs of emergency management

New Zealand's approach to emergency management can be described by the four areas of activity, known as the '4 Rs' – reduction, readiness, response and recovery.

Fire plans are a part of our work in the Reduction space. Previous fire plans under the old rural fire authorities also had components of Readiness and Response, and that information is now incorporated into other planning work and operational procedures.

Have a look at the range of work that Fire and Emergency does in each of the 4 Rs.



Reduction

Identifying and analysing long-term risks to human life and property; taking steps to eliminate these risks if practicable, and, if not, reducing their impact and the likelihood of them occurring.

The first of Fire and Emergency's principal objectives is to reduce unwanted fires.

For Fire and Emergency, this work includes:

- our national framework for fire control, which includes:
- these fire plans
 - our fire control powers for reducing the likelihood of unwanted fire from the use of fire in the open air
 - other causes of wildfire through setting fire seasons, requiring fire permits, firebreaks and fire hazard removal
 - evacuation procedures and evacuation schemes for buildings
- input into building design for fire safety, and our part in the building consent application process
- the national automatic fire alarm system
- influencing policies within standard-setting bodies and with central and local government
- public education campaigns around escape planning, fire safety, and smoke alarms.

Readiness

Developing operational systems and capabilities before an emergency occurs, including self-help initiatives for the public, specific programmes for emergency services, lifeline utilities and other services.

For Fire and Emergency, this includes:

- establishing and maintaining our response capability (our fire stations and trained people) across the country
- the 111 call centre where the public can report fires and other emergencies
- contact lists and contracts with service providers that we can use in response
- tactical plans (how we plan to respond to a particular site or location)
- community planning, including rural communities
- work with local government around provision of water for firefighting
- Response and tactical plans (how we plan to respond to a particular site or location.)
- fire weather data and indices that determine the fire danger rating.

Response

Attending incidents and taking any actions from the time of notification to our communications centres, to the incident controller moving to recovery phase once control of any fire is at a stage where this can happen.

For Fire and Emergency, this includes:

- firefighting
- responding to hazardous substance incidents
- rescuing trapped people
- urban search and rescue

It can also include responding to:

- medical emergencies
- maritime incidents
- other rescues
- weather events and disasters
- incidents where substances present a risk to people, property or the environment
- any other situation where we can assist.

Note: This fire plan is not a response related plan.

Recovery

Helping people who have suffered loss and trauma to receive the appropriate support. Coordinated efforts and processes to bring about the immediate, medium-term and long-term recovery of a community following a major emergency.

For Fire and Emergency, this includes:

- our immediate actions at emergencies following good incident management practices that minimise the short-term and long-term impact and consequences of the original event
- helping those immediately affected by the emergency get the support they need, including making sure people suffering loss and trauma receive appropriate support from the relevant agency.

In addition, as a precursor to recovery, we:

- support and encourage community pre-planning for major events
- support recovery/clean-up activities to strengthen community resilience following an incident.

Our commitment to working with Māori as tangata whenua

Fire and Emergency recognises the status of Māori as tangata whenua and, as such, the importance of Māori communities as key stakeholders in Fire and Emergency's work.

We recognise:

- Iwi and Māori as community leaders with an important role to play in preventing fires and other emergencies, building community resilience, and informing emergency response
- Iwi as our partners in risk reduction as significant and growing land and forest owners
- Māori are disproportionately affected by unwanted fires, and that needs to change.

By committing to work with tangata whenua, we contribute to a safer environment not only for Māori but for all New Zealand communities.

We will do this by building strong relationships that enable us to engage with iwi and Māori as we design and deliver services. This will require us to engage in culturally appropriate ways. We will strengthen our cultural capability, diversity and inclusion, so that we better reflect and engage with the communities we serve.

National Framework for Fire Control

Not all fires are unwanted. New Zealand has a long history of using fire as a tool, for land management, cooking, recreation, comfort, and warmth.

The National Framework for Fire Control consists of policies, procedures, tools and agreements that enable Fire and Emergency to manage fires – supporting people to safely use fire where appropriate and restricting or prohibiting its use when there is a risk of unwanted fire.

The public face of this is the [Checkitsalright.nz](https://checkitsalright.nz) website, the [fire permit application system](#), these fire plans, and additional information on our public website – fireandemergency.nz.

This plan outlines Fire and Emergency's statutory fire control powers and how we can apply them to help reduce risk by:

- setting fire seasons
- prohibiting fire in open air or revoking the prohibition

- prohibiting or restricting activities or revoking the prohibition or restriction
- fire permitting
- control of firebreaks
- fire hazard removal

Our policies

The current internal policies and supporting processes that guide our decisions and actions are:

Policy	Detail
Fire seasons, prohibitions and restrictions policy	<p>Relating to sections 52 to 58 of the Act and decisions to:</p> <ul style="list-style-type: none"> • declare or revoke a prohibited or restricted fire season • prohibit fire in open air or revoke a prohibition • prohibit or restrict activities that may cause a fire to start or spread and revoke prohibition or restriction.
Fire permitting policy	<p>Supporting the policy above and also defining actions for:</p> <ul style="list-style-type: none"> • supporting a member of the public who is applying for a fire permit • assessing a fire permit application • granting or renewing a fire permit • refusing to grant or renew a fire permit • suspending or cancelling a fire permit • operational decisions when responding to an alarm of fire in open air.
Firebreaks Policy	<p>Relating to sections 62 to 64 of the Act to support decisions and actions relating to requirements for landholders to:</p> <ul style="list-style-type: none"> • make and clear any firebreak on the landholder's land • remove any vegetation or other thing from an existing firebreak.
Fire hazard removal policy	<p>Relating to sections 65 to 68 of the Act and decisions about what to do when:</p> <ul style="list-style-type: none"> • a potential fire hazard is reported to Fire and Emergency • we assess a potential fire hazard • we arrange for the removal or destruction of a confirmed fire hazard.
Regulatory compliance policy	<p>Covering how we monitor and take action to identify and influence landowners and others to comply with the requirements of the Act and other relevant legislation. This covers activities which:</p> <ul style="list-style-type: none"> • reduce harm from unwanted fire • support the safe use of fire as a land management tool and reduce harm if fire escapes control • minimise avoidance of the Fire Emergency levy • reduce non-compliance with any legislation or regulations under which Fire and Emergency New Zealand has a compliance function.

Fire risk conditions

The circumstances where we can use our fire control powers to prohibit fire and or restrict other activities are defined in the Act as when:

- fire risk conditions exist or are likely to exist in the area; and
- the prohibition or restriction is necessary or desirable for fire control.

We also take these into account when setting fire seasons.

Fire risk conditions are defined in the Act as weather or other conditions that will, or are likely to, endanger persons or property by increasing the risk of the outbreak or spreading of fire.

Decision makers must be satisfied that fire risk conditions, and potential ignition sources exist, or are likely to exist in the area, that will endanger people or property by increasing the risk of outbreak or spread of fire. Decisions are evidence based and not made for the convenience of Fire and Emergency.

This table sets out other fire risk conditions we consider for the purposes of exercising our fire control powers.

Condition	Description
Remote Automatic Weather Station network (RAWS)	Integral base-line data from the national network of weather stations across the country used to determine the New Zealand Fire Danger Rating system (below). These stations measure: <ul style="list-style-type: none"> • temperature • rainfall • relative humidity • wind speed and direction
Fire weather science	The NZ Fire Danger Rating System includes measures, such as: <ul style="list-style-type: none"> • Build-up Index (BUI) • Initial Spread Index (ISI) • Fire Weather Index (FWI) • Grass curing percentage • Fine Fuel Moisture Code (FFMC) • Drought code (DC).
Topography	Factors that influence how a fire spreads, including: <ul style="list-style-type: none"> • steepness of slope • direction fire is facing, i.e. aspect • terrain features, e.g. gullies and chimneys.
Fuel behaviour models	The characteristics of fuel, or vegetation, that contribute to fire ignition and spread.
History of fires	History of recent fires and their ignition sources in the area, based on available fire data.
Socio-economic factors	Factors that influence the likelihood of fires being lit for cooking purposes and to dispose of rubbish in backyards, e.g. absentee owners and lifestyle blocks burning during holiday season. Expectations of the public to be able to light certain types of fires, e.g. cultural cooking fires.
Time of year	Time of year, e.g. land clearing forestry, land clearing hill and high country, late winter to spring.
Public knowledge – awareness of the risks	The expected public awareness of risks may be low, e.g. a large influx of visitors during summer holiday periods, who may reasonably be expected to have little understanding of the risks of lighting fires in an area.
Proximity to property or other values	The closeness of property or other valuables to fire, for example: <ul style="list-style-type: none"> • life values, e.g. size of land parcels in an urban area • distance from commercial forestry.

Condition	Description
Ability to provide an effective response	Factors that contribute to our ability to respond to an out of control fire include: <ul style="list-style-type: none"> • availability of response resources, i.e. people and equipment • isolation • accessibility issues • availability of water supplies.
Impacts from natural disasters	Natural disasters are likely to influence resource availability and the likelihood of fires.
People	The presence of people increases the risk of fire.
Impact of other events that increase the risk of the outbreak or spread of fire	Events that increase the risk of potential fire, e.g. the rupture of an oil pipeline.

Fire seasons

Fire and Emergency uses fire seasons to:

- inform people about the requirements for or restrictions on lighting fires in the open air
- manage the use of fire to protect communities from the consequences of unwanted fire.

There may be other legal requirements and regulatory approvals needed for a fire under other legislation, such as the [Resource Management Act 1991](#) or Council bylaws. It is your responsibility to comply with all other legislation and get all other necessary approvals.

Fire and Emergency can declare or revoke a prohibited or restricted fire season in an area, and uses its Fire seasons, prohibitions and restrictions policy and associated processes (including stakeholder and partner consultation) to manage this.

Fire seasons are applied to geographic zones based on:

- the fire environment (fuel types, fuel condition (curing/dryness), weather, topography, historic trends)
- fire climatic zones
- topographical boundaries/features (rivers, roads, coast lines, forest and national park boundaries)
- fire control considerations.

One of three types of fire season is in force at any time in an area or zone:

Open fire season



Fires may be lit in open air, without restriction. Applies whenever there is not a prohibited or restricted fire season in place.

Restricted fire season



Lighting a fire is riskier than usual. A fire permit is required and may also have specific conditions to make sure fires can be safely lit and remain under control.

Prohibited fire season



Lighting fires in the open air is not permitted. Existing fire permits are suspended, though fire permits may still be granted in exceptional circumstances.

It is important that people know what the current fire season is and understand how they can comply with the requirements.

To see what the current fire season is within a local area (or zone within an area) go to checkitsalright.nz.

Open fire seasons

We use an open fire season when the fire danger is consistently low enough that Fire and Emergency does not need to apply additional controls on when people can light fires in the open air. To help you to use fire safely, we have a set of [guidelines for fire types](#) that you should follow even when there are no restrictions or prohibitions in place, see the Authorised fire types, descriptions and conditions table below for guidance. Note that this does not mean that you can light fires anywhere you want to. You should still check the conditions through [Checkitsalright website](#) and follow any advice provided.

Those lighting a fire have a duty of care to ensure that fire remains under control and is fully extinguished once complete. [Section 60 \(1\)](#) of the Act requires this: “A person must not cause or allow a fire to get out of control and to spread to vegetation or property.”

Other legislation or regulatory requirements like local council or regional council bylaws, or air quality plans may apply additional restrictions, or not allow you to light a fire at all.

You must also have permission from the landowner or occupier to light a fire, even in an open fire season.

We still like to hear from you if you are lighting a large fire, e.g. for land management, so that we can share advice on how and when to light and use your fire safely. Go to our [Fire Permit website](#). Select **Lighting a fire in an open season** and complete the address info or use the map. Once the address information updates and confirms an Open fire season, select the **Notify Us of your fire** button at the bottom of the screen and complete the form.

This also helps us manage notifications about your fire that might be made by members of the public.

Restricted fire seasons

We use restricted fire seasons when the fire danger has increased enough that we need more control over where, when and how people use fire.

Requiring permits for particular types of fires in the open air means that we can understand where and when fire is being used, so that our fire brigades don't need to respond unnecessarily.

It also gives us an opportunity to give advice about how the fire can be conducted safely, or we can apply conditions around when the fire can be lit, how big it can be, or any other requirements that reduce the chance of the fire escaping control.

Note: When you get a permit, you must read and follow the conditions of that permit.

Prohibited fire seasons

When the fire danger reaches higher levels, we need to stop people from lighting fires that may escape, as the fire behaviour during these conditions makes fires very difficult and dangerous to contain, control and extinguish.

Certain types of fires may still be used, but people need to be very careful with fire during these times. See the section on [Authorised fire types in a prohibited fire season](#).

Trigger thresholds for changing fire seasons

The New Zealand Fire Danger Rating System and its component Fire Weather System provide us with a consistent, scientific way to monitor the fire danger in an area.

Trigger thresholds, based on relevant fire weather measurements and values are set in consultation with stakeholders for declaring restricted and prohibited fire seasons within the fire plan area or fire season zone within that area. The trigger thresholds identify when prevailing weather conditions create ongoing potential for problem fires.


The trigger thresholds make use of:

- the Remote Automatic Weather Station (RAWS) climatology data for the fire plan area or zone.
- historical fire data for the fire plan area or zone.

Other factors such as consultation with partners, resource availability, other emergency events etc., may also feed into a decision to declare or revoke a fire season earlier or later than the trigger threshold would indicate.

Forecast weather trends must be taken into consideration when declaring a change in fire season. An upcoming rain event may defer a change in fire season or forecast dry weather and strong winds may indicate a need to change fire season days before the trigger threshold would otherwise be reached.

Locally agreed thresholds will be listed in the zone information in this document.



Prohibiting fires in open air (section 52)

There are times when Fire and Emergency may need to prohibit fires in the open air, outside of the usual fire season changes. These occasions are known as Extreme fire, Red Flag Days or Cross-Over conditions. Examples of when we might use these powers are:

- large or multiple incidents occur that put firefighting resources under strain

- extreme fire weather conditions occur during a restricted fire season, e.g. strong dry winds, high temperatures associated with very low humidity
- emergency events occur, e.g. a rupture of the Marsden Point fuel pipeline, increasing the fire hazard in a specific area.

We can only prohibit fires in the open air when fire risk conditions indicate that the prohibition or restriction is necessary or desirable for fire control.

Fire and Emergency may also prohibit fires in the open air while the Epidemic Preparedness (COVID-19) Notice 2020 is in force, without needing to consider fire risk conditions or other factors. This might happen if our response capabilities are affected by COVID, and we aren't able to respond effectively if there is an unwanted fire.

Fire and Emergency can create temporary zones that are smaller than the zones in this fire plan for the purposes of limiting the impact of prohibiting fires in open air under [section 52](#).

If someone breaches the ban, they can be charged under [section 54](#) of the Fire and Emergency New Zealand Act 2017.

Trigger thresholds for prohibiting fire in open air

We can use the same Fire Weather System trigger thresholds for prohibiting fires in the open air under [section 52](#) as we do for changing to a prohibited fire season, but use [section 52](#) when the fire risk conditions are not expected to last long enough to make changing to a prohibited fire season practical.

If Fire and Emergency has come to an agreement with stakeholders on other thresholds for when to implement a [section 52](#) prohibition of fire in open, these will be included in the zone information in this document.

Restricting and prohibiting activities (section 52)

There are times when fire risk conditions are elevated to an extent that certain activities may cause a fire to start or spread. These occasions are known as Red Flag Days or Cross Over conditions. Examples of these activities include but are not limited to:

- roadside mowing
- cutting or welding operations outdoors that involve the use of portable gas, disc grinder or arc welding equipment that produces sparks, flames, or heat, generally known as 'hot works'
- chainsaw use or scrub-cutting
- mowing, ploughing or harrowing fields
- use of retail fireworks and, in certain conditions, pyrotechnics (. See the retail fireworks and pyrotechnics sections below)

[Section 52](#) of the Act allows us to prohibit or restrict one or more activities in an area or areas, when our assessment is that:

- the activity, (including access to an area) may cause a fire to start or spread and adequate controls are not available
- [fire risk conditions](#) exist or are likely to exist in the area
- the prohibition or restriction is necessary or desirable for fire control purposes
- there is an inability to adequately mitigate the assessed risk.

Prohibition or restriction means:

When an activity is...	It means the activity...
Prohibited	must not be undertaken at all by any person while the prohibition is in effect (except if it is an excluded activity that relates to the carrying out of essential services in the area).
Restricted	can be undertaken subject to certain conditions, such as restrictions on: <ul style="list-style-type: none"> the times of the day the way it is undertaken.

If we have restricted or prohibited access to a location under [section 52](#), we can't prevent someone who lives or works in the location from entering. [Section 52](#) also doesn't prevent someone from carrying out essential services where it applies.

Essential services are:

- for the supply and distribution of food, water, fuel, power, and other necessities
- for the maintenance of transport and communication facilities that are essential to the well-being of the community
- for the maintenance of the health of the community
- for the maintenance of law and order, public safety, and the defence of New Zealand
- for the preservation of property at immediate risk of destruction or damage.

Fire and Emergency can create temporary zones that are smaller than the zones in this fire plan for the purposes of limiting the impact of restricting or prohibiting activities under [section 52](#).

If someone fails to comply with the restriction or prohibition, they can be charged under [section 54](#) of the Fire and Emergency New Zealand Act 2017.

Trigger thresholds for restricting or prohibiting activities under section 52

Some industries have their own restrictions that they place on themselves when fire risk increases. However, when these voluntary restrictions are not enough to reduce the risk of a fire starting or spreading, or we need to restrict or prohibit the public from the same high risk activities, then we will use [section 52](#) to apply the restrictions or prohibitions to everyone within the zone.

Our policy for fire seasons, prohibitions and restrictions says that we only prohibit or restrict activities if we have engaged with stakeholders, and they are unable to satisfactorily mitigate the identified risks.

Legally restricting or prohibiting activities can have a significant economic impact, so should not be done without due consideration.

If we've agreed with stakeholders on set thresholds for implementing a [section 52](#) restriction or prohibition, we'll include these in the zone information in this document.

Activities and risk mitigation

Forestry operations

The NZ Forest Owners Association have developed the [Forest Fire Risk Management Guidelines \(2018\)](#) which contains example trigger point tables and what fire prevention actions are suggested during different fire danger levels. Fire and Emergency supports these guidelines.

The National Environmental Standard – Commercial Forestry (NES-CF) regulations and SCION research confirms that the risk of heating and spontaneous combustion in slash can be reduced by eliminating embedded rubbish (metal), monitoring depth and compaction of slash piles and local fire environment conditions.

If local trigger values have been set, they will be listed in the zone information in this document. NIWA's fire weather website www.fireweather.niwa.co.nz will be updated to display the levels decided locally.

Powerline auto-reclosers

Most power companies use a computer-controlled auto recloser system which attempts to reconnect the power up to three times following a fault before a technician needs to be sent. If the fault was the result of a downed wire(s), this creates three potential sparking events.

If local trigger values have been set, they will be listed in the zone information in this document. NIWA's fire weather website www.fireweather.niwa.co.nz will be updated to display the levels decided locally.

Power companies also make use of other reduction activities, following the [Electricity \(Hazards from Trees\) Regulations 2003](#), such as trimming trees around power lines, providing fault reporting to public, undergrounding power lines, and providing tree planting guidance.

Hot works

This includes activities such as welding, grinding, and metal cutting.,

If local trigger values have been set, they will be listed in the zone information in this document. NIWA's fire weather website www.fireweather.niwa.co.nz will be updated to display the levels decided locally.

Fire and Emergency will work with Waka Kotahi (NZTA) and local councils on roadside mowing issues during days with elevated fire danger and changing operations to suit conditions.

We will also work with rural land managers to discuss the approach to fire measures, the use of machinery and equipment during high fire danger periods and the potential effect on local landholders and communities.

Retail fireworks and pyrotechnics

Fire and Emergency does not regulate the use of fireworks or pyrotechnics when fire risk conditions are not elevated.

The term 'firework' is reserved for retail fireworks that are specifically sold to the public. A display of 'fireworks' does not require written agreement from Fire and Emergency. In comparison Pyrotechnics are classed as a hazardous substance and must be under the control of a person who holds a certified handler compliance certificate for the substances they are working with and are required to obtain prior written approval from Fire and Emergency NZ for holding a display.

When fire risk conditions are elevated, Fire and Emergency can restrict or prohibit the use of fireworks, and – in certain circumstances - pyrotechnics, as an activity under [section 52](#) of the Fire and Emergency New Zealand Act 2017.

Fireworks

Sale of fireworks is regulated by the [Hazardous Substances \(Fireworks\) Regulations 2001](#) and storage by the [Health and Safety at Work \(Hazardous Substances\) Regulations 2017](#).

Council bylaws may limit where and when fireworks may be used.

Whether fireworks should be banned is a decision for Government, and our work related to fireworks will continue to reflect decisions made by central Government.

Fire and Emergency is responsible for promoting fire safety, so we advise the public on using fireworks safely. We recommend people attend publicly organised displays where possible.

Pyrotechnics

Applications for indoor and outdoor pyrotechnic displays need to comply with Section [9.43](#) and [9.35](#) of the Health and Safety at Works (Hazardous Substances) Regulations 2017.

The person in charge of a pyrotechnics display must obtain prior written agreement from Fire and Emergency for holding of the display.

The exception to requiring written agreement is for class 1 category G pyrotechnic display where the pyrotechnics are used for a special effects purpose (e.g. film set) and there is no intention to display to the public.

Fire and Emergency is not an enforcement agency for hazardous substances.

Fire and Emergency's agreement or otherwise as to a specific pyrotechnic display proceeding will be determined in accordance with Fire and Emergency's policy and standard operating procedures relating to the same.

However, where Fire and Emergency is of the view, after considering the relevant risk conditions in a particular area, that even where the requirements of the Health and Safety at Work (Hazardous Substances) Regulations 2017 could be met in terms of controlling fires igniting within an exclusion zone, the risk to the surrounding area outside of any exclusion zone nevertheless requires a prohibition or restriction of pyrotechnic displays generally, under [section 52](#). This is likely to be limited to situations where, for example, the terrain, weather and substrate is such that there is a risk of a pyrotechnic display causing fire to ignite outside of any exclusion zone in the area.

Communicating changes in fire seasons and restrictions or prohibitions

It's important that people planning to light fires in the open air know whether they can do so safely and legally, so they need to know what the current fire season is in the area, whether any other prohibition applies, and whether a permit is required.

Fire season changes, and restrictions and prohibitions under [section 52](#) of the Act, are publicly notified to our communities, stakeholders and partners in a number of ways.

Modes of communication can include, but are not limited to:

- direct contact with our partners and stakeholders, including email
- local newspaper and radio ads
- social media and media
- email and text directly to permit holders
- Check It's Alright website www.checkitsalright.nz or information available by phoning 0800 658 628
- Fire danger or fire season signs – these are changed to reflect season status with additions of 'Fire by permit only' or 'Total fire ban' or similar messaging.

During periods of elevated and extreme fire danger days, we increase our communication of fire safety and prevention messages to build awareness of the dangers of wildfires and promote positive behaviour changes. Since fire danger/fire risk conditions are locally specific, Districts will make local decisions about the best ways to communicate this to their communities.

Messaging using traditional and digital media, such as social media and on-demand video can be targeted at affected areas at effective times.

When a fire season change affects public conservation land (PCL), we must also notify the Department of Conservation (DOC) of any intention to declare or revoke a prohibited or restricted fire season on public conservation land. This must also be followed up with a written notification.

Department of Conservation informs visitors of the controls or bans on lighting fires, including for cooking, warmth and campground fires, through notices and advertising.

Fire permits

The information included with a fire permit helps people understand how to light a fire safely, and to reduce the risk of their fire burning out of control. Fire permits carry conditions which vary based on the type and size of the proposed fire along with the current local fire risk conditions. To check and apply for a fire permit visit firepermit.nz.

Fire risk conditions vary by time and other factors such as fuel, weather and topography, so the acceptable conditions for burning are set for each fire permit.

We may also suspend or cancel fire permits in certain circumstances, such as:

- where fire risk conditions change
- for fire control purposes
- as fire seasons change or we imposed prohibitions.

Under [section 190\(8\)](#) of the Act, granting a fire permit does not impose any liability on Fire and Emergency.

Council bylaws, regional plans, legal covenants, or restrictions

Fire and Emergency must only consider the fire risk conditions when issuing permits. We can't apply other organisations' requirements when issuing permits, so even if Fire and Emergency has issued a fire permit, you may not be allowed to light your fire due to other requirements.

Even if a fire permit is not required from us, due to an open fire season etc., you may not be able to light fires in some places.

Council bylaws and regional plan rules relating to smoke and air pollution must also be followed.

Managing smoke nuisance comes under local government jurisdiction and not Fire and Emergency, unless the smoke is an immediate threat to life, however we will still promote good practice and suggest alternatives.

There may also be legal covenants or restrictions which restrict the ability to light a fire in some areas, regardless of the fire season. For example, if there are power pylons or other infrastructure nearby.

You will also need private landowner or occupier approval before lighting a fire, even if Fire and Emergency has issued a fire permit.

If there is signage in a location that says to light no fires or equivalent, then you must follow those instructions.

Where relevant, information about applicable bylaws and regional plans is included in the area overview of this document.

When a permit is needed

The need for a fire permit is based on:

- type of fire
- the fire season or restrictions or prohibitions on fires in the open air.

Fire types

Some fire types may be allowed in restricted and prohibited fire seasons by making them:

- Authorised (no permit required)
- Permit required

For more information on fire types, see [Open air fires – rules and permits](#) on the Fire and Emergency website www.fireandemergency.nz.

Authorised fire types, descriptions and conditions in a restricted fire season

Authorised fire types in a restricted fire season, i.e. those fire types not requiring a fire permit because they are not considered 'fires in open air' are listed below:

Fire type	Description and conditions
Gas-operated appliances	<p>Manufactured portable gas-operated appliances, such as butane tramping stoves, gas barbeques and outdoor gas heaters.</p> <p>Find out more about the safe use of barbeques and gas cylinders and outdoor gas-operated appliances.</p> <p>Conditions</p> <p>The gas-fire must not be:</p> <ul style="list-style-type: none"> lit if the appliance is not in full operational condition in accordance with the manufacturer's specifications lit unless on a flat, level surface, stable and solid enough to support the weight of the appliance plus any containers and food used during cooking lit unless at least one metre clear of all combustible material lit in conditions where wind or other factors may cause the fire to spread to surrounding flammable material left unsupervised while flame is present.
Pressurised liquid appliances	<p>Manufactured portable liquid cookers which use liquid under pressure to fuel the cooker. The type of liquid is not specific (e.g. White spirits, kerosene or methylated spirits) but the delivery mechanism is.</p> <p>Note: This excludes cookers using an open top, non-pressurised system.</p> <p>Conditions</p> <p>The pressurised liquid fire must not be:</p> <ul style="list-style-type: none"> lit if the appliance is not in full operational condition in accordance with the manufacturer's specifications lit unless it is on a flat, level surface, stable and solid enough to support the weight of all the appliance parts plus any containers and food used during cooking lit unless at least one metre clear of all combustible material lit in conditions where wind or other factors may cause the fire to spread to surrounding flammable material left unsupervised while flame is present and/or the liquid is still turned on.
Campfires in a permanent fireplace	<p>Positioned and constructed by the Department of Conservation (DOC) to minimise the threat of fire spread and located within formally established DOC overnight campsites or daytime amenity areas.</p> <p>Conditions</p> <p>The campfire in a permanent fireplace must not be:</p> <ul style="list-style-type: none"> lit if the fireplace has any damage that could allow the fire, hot embers, or ash to escape and spread beyond the constructed fireplace within three metres of any combustible material lit where notices and advertising are present which specifically prohibit the lighting of fires

Fire type	Description and conditions
	<ul style="list-style-type: none"> • lit during a prohibited fire season • lit in conditions where wind or other factors may cause the fire to spread to surrounding flammable material • left unsupervised while burning and without the ashes being fully extinguished • used to burn rubbish.
Cooking and warming fires	<p>Small, open outdoor wood-burning fires are only permitted to be lit on PCL in remote areas and only if required for essential cooking or survival purposes. As a guide, remote areas for this purpose are considered to be at least 3km from the nearest public road, public vehicle easement accessway or publicly accessible jetty or wharf.</p> <p>Additionally, fires must not be lit in locations fitting the freedom camping criteria, as defined in the Freedom Camping Act (2011).</p> <p>Conditions</p> <p>The cooking and warmth fire must not be:</p> <ul style="list-style-type: none"> • more than 0.5 m diameter x 0.5 m height (including wood and flames) • within three metres of any tree or any place underneath overhanging vegetation; and • within three metres of any log or any dry vegetation • lit unless and until the ground surface within three metres of the site of the fire has been cleared of all combustible material • lit where notices and advertising are present which specifically prohibit the lighting of fires or specify the lighting of fires only in other types of receptacles or places • lit in National Parks which have bylaws prohibiting the lighting of wood burning fires in the open air • lit during a prohibited fire season • lit in conditions where wind or other factors may cause the fire to spread to surrounding flammable material • left unsupervised without the ashes being fully extinguished • used to burn rubbish. <p>Note: This only applies to small open fires (as described above). Solid fuel fires, front loaded portable fires, non-gas barbecues or chimineas are all prohibited fire types on Public Conservation Lands at all times.</p> <p>Find out more about the safe use of campfires.</p>

Authorised fire types on public conservation land in a restricted fire season

Authorised fire types on public conservation land (PCL) in a restricted fire season, i.e. those fire types not requiring a fire permit because they are not considered ‘fires in open air’ are listed below:

Fire type	Description and conditions
Gas-operated appliances	Manufactured gas-operated appliances, such as barbeques, outdoor fireplaces and outdoor gas heaters. Find out more about the safe use of barbeques and gas cylinders and outdoor gas-operated appliances .
Pressurised liquid cookers	Small cookers that use kerosene or other similar liquids as fuel.
Campfires in a permanent fireplace	Positioned and constructed by the Department of Conservation (DOC) to minimise the threat of fire spread and located within formally established DOC overnight campsites or daytime amenity areas.
Cooking and warming fires	Fires lit in the backcountry (over one-hour walking time from the nearest road end) of public conservation land. Conditions: The fire must not be: <ul style="list-style-type: none"> • within three metres of any tree or any place underneath overhanging vegetation; and • within three metres of any log or any dry vegetation; and • lit unless and until the ground surface within three metres of the site of the fire has been cleared of all combustible material; and • lit where notices and advertising are present which specifically prohibit the lighting of fires or specify the lighting of fires only in other types of receptacles or places; and • lit during a prohibited fire season; and • lit in conditions where wind or other factors may cause the fire to spread to surrounding flammable material. Find out more about the safe use of campfires .

Authorised fire types, descriptions and conditions in a prohibited fire season

Authorised fire types in a prohibited fire season, i.e. those fire types not requiring a fire permit because they are not considered ‘fires in open air’ are listed below

Fire type	Description and conditions
Gas-operated appliances	Manufactured gas-operated appliances, such as barbecues, gas outdoor fireplaces and outdoor gas heaters. Conditions Find out more about the safe use of Gas BBQs, cookers and heaters .
Charcoal barbecues or grills	Barbecues or grills that use either charcoal briquettes or natural lump charcoal as their fuel source. Conditions <ul style="list-style-type: none"> • Don't use on an apartment balcony, deck, under a roof overhang or within other enclosed areas. • You must have a suitable way to extinguish the fire within easy reach – a maximum of 5 metres away. • You must not leave the fire unsupervised while burning. If you cannot meet these conditions, you must apply for a permit.
Open top liquid fuel cooker	Examples include (but are not limited to) portable smokers.

	<p>These are usually small portable cooking devices that are liquid-fuelled with an open fuel container either under or in the cooking device.</p> <p>Conditions</p> <ul style="list-style-type: none"> • Must be on a non-combustible area/base. • You must have a suitable way to extinguish the fire within easy reach – a maximum of 5 metres away. • Don't light your fire within 3 metres of any part of a building, hedge, shelter belt or any other combustible material. • You must not leave the fire unsupervised while burning.
Non-pressurised liquid-fuelled heaters	<p>Examples include (but are not limited to) frost pot, smudge pot, diesel heater. Usually fuelled by diesel, vegetable oil, kerosene or waste oil.</p> <p>Conditions</p> <ul style="list-style-type: none"> • Must be at least 3 metres clear of any of any part of a building, hedge, shelter belt or any other combustible material. • Must be placed on a non-combustible surface, not directly on grass or wooden decks. • You must not use the heater in small, confined areas. • If refuelling, ensure heater has cooled down before refilling. • You must not leave the fire unsupervised while burning. <p>If you cannot meet these conditions, you must apply for a permit.</p>
Permanent outdoor fireplace Wood-fire pizza oven/wood oven	<p>Purpose-built or manufactured woodburning fireplace/wood oven with an open front and a vertical smoke vent/chimney.</p> <p>Generally constructed of concrete, concrete blocks, stone, or bricks, fixed in place (not mobile/movable).</p> <p>Usually in home outdoor entertaining areas.</p> <p>Conditions</p> <ul style="list-style-type: none"> • Must have a non-combustible hearth or base that extends a minimum of 500 mm either side of the left and right edges and a minimum of 1 metre from the front edge of the fire box. This is to stop any burning material falling from the fire box landing onto anything combustible. • Smoke vent/chimneys must have a purpose-built manufactured cap, or maximum of 5 millimetre steel mesh fitted in the top to stop any hot ash or embers from escaping. • Firewood storage must be in areas not affected by heat from the fire and clear of any possible hot ash or ember-affected areas. • You must have a suitable way to extinguish the fire within easy reach – a maximum of 5 metres away. • You must not leave the fire unsupervised while burning, or • It must have a solid or mesh screen/door that prevents any burning material from escaping the fire box. • Fireplaces with external construction made of steel must be at least 1 metre clear of any of any part of a building, hedge, shelter belt or any other combustible material. <p>If you cannot meet these conditions, you must apply for a permit.</p>
Movable/ portable free-standing front-loading fireplace.	<p>Examples include (but are not limited to) chiminea.</p> <p>A freestanding front-loading fireplace or oven, usually with a bulbous body – usually has a vertical smoke vent or chimney.</p> <p>Conditions</p> <ul style="list-style-type: none"> • Don't light your fire within 3 metres of any part of a building, hedge, shelter belt or any other combustible material.

	<ul style="list-style-type: none"> You must have a suitable way to extinguish that will easily reach it, a maximum of 5 metres away. You must not leave the fire unsupervised while burning or It must have a solid or mesh screen/door that prevents any burning material from escaping the fire box. <p>If you cannot meet these conditions, you must apply for a permit.</p>
Cultural cooking fires	<p>Examples include hāngi, umu and lovo.</p> <p>Conditions</p> <ul style="list-style-type: none"> Your fire area must be less than 4 square metres. Don't light your fire within 5 metres of any part of a building, hedge, shelter belt or any other combustible material. You must have a suitable way to extinguish it within easy reach – a maximum of 5 metres from your cultural fire. You must not leave the fire unsupervised while burning. On completion of cooking or the purpose required for cooking food the fires must be extinguished. <p>If you cannot meet these conditions, you must apply for a permit.</p> <p>Find out more about the safe use of cultural cooking fires – fireandemergency.nz > Traditional or cultural use of fire.</p>

Authorised fire types on public conservation land in a prohibited fire season

Authorised fire types on public conservation land in a prohibited fire season, i.e. those fire types not requiring a fire permit because they are not considered 'fires in open air' are listed below:

Fire type	Description and conditions
Gas-operated appliances	<p>Manufactured gas-operated appliances, such as barbeques, outdoor fireplaces and outdoor gas heaters.</p> <p>Find out more about the safe use of barbeques and gas cylinders and outdoor gas-operated appliances.</p>
Pressurised liquid cookers	Small cookers that use kerosene or other similar liquids as fuel

Permits in prohibited fire seasons or during prohibitions under section 52

Fire and Emergency may grant permits:

- during a prohibited fire season, or
- when there is a prohibition under [section 52](#) of the Act, when the fire or activity is necessary to prevent, reduce, or overcome any hazard to life or because of any other serious emergency.

We may grant fire permits during a prohibited fire season if weather or other conditions have temporarily reduced the fire hazard, so as to make it apparently safe to light a fire.

Note: Fire and Emergency may grant permits for the purposes of assisting compliance with other legislation such as Bio-security measures. For example:

The Management Agency for the American Foulbrood (AFB) Pest Management Plan implements the Biosecurity (National American Foulbrood Pest Management Plan) Order 1998.

- Where AFB is discovered, beekeepers have an obligation within 7 days of becoming aware of that case to destroy all honeybees, bee products, and appliances associated with that infected honeybee colony by burning.

- If it's a PROHIBITED fire season – Fire and Emergency New Zealand will promptly (24hrs) produce a District Manager-approved special Fire Permit to Burn during a prohibited season, under biosecurity emergency response status.

Permits issued in a prohibited fire season (e.g. for biosecurity reasons) remain active when the fire season changes.

Applying for a permit

To check if a fire permit is required, use the website <https://www.checkitsalright.nz/>. If you require a permit this site will automatically take you to the fire permits website.

When you know a fire permit is required you can apply:

- Online through Fire and Emergency's fire permitting system – firepermit.nz
- Over the phone -0800 658 628 - Your application is then completed in the online system on your behalf.
- In person, by asking local Fire and Emergency fire permitting personnel for a fire permit.
- By email or post, using the manual [fire permit application form](#). You can print and complete the form by hand or complete the editable pdf and send it back to us.

Assessment

The fire permit assessors will make a risk-based decision about whether a desk-based assessment or an on-site inspection of the burn location is required before deciding to grant or refuse the fire permit.

Note: Where an application has multiple burn locations, each location must be considered.

Permit applications must be inspected if the assessor has insufficient information to make a desk-based assessment, or where any of the following apply to the proposed fire:

- it is during a prohibited fire season
- it requires a burn plan
- it is in a location where the predominant fuel type is considered to be of high flammability
- it is in a location that is adjacent to areas of significant commercial or environmental values
- it involves multiple fires burning at the same time in different locations on a property
- it is located on steep or complex terrain; or
- it involves burning large amounts of material unless the applicant has a history of successfully managing similar fires.

Additional factors that can be considered to be fire risk conditions or relevant fire control matters when assessing a fire permit application are:

- the environment around the burn site
- the actual site area and boundaries of the proposed burn
- other property and/or values at risk from a possible escaped fire
- other relevant hazards
- time of ignition, light up sequence and method of the proposed fire
- potential fire behaviour and rate of fire spread
- firebreaks around the area to be burnt
- resources available to carry out the burn safely and effectively
- the applicant's understanding of the risks associated with the proposed fire, and their ability to manage those risks effectively.

Prescribed burn plans may be required for complex and higher-risk burns, e.g. land clearing. They help the person proposing to burn to

- go through a planning process and consider how to undertake the proposed fire safely.

Developing the [prescribed burn plan](#) is the responsibility of the applicant, however we can provide help and support on what the plan should contain in order to undertake the proposed fire safely.

Mandatory conditions

Every permit must contain standard conditions that are required by the [Fire and Emergency New Zealand \(Fire Permits\) Regulations 2017](#) and cannot be removed. These are:

- You must not light a fire in fire risk conditions that make it likely that the fire will spread beyond the limits of the location or property specified in the permit as the location of the fire.
- If this permit was issued for a proposed fire in an area which is in a restricted fire season:
 - it is suspended if we declare a prohibited fire season or prohibit fire in open air
 - you must, immediately before lighting a fire, make reasonable efforts to confirm that, in the location of the fire:
 - no prohibited fire season is in place; and
 - no prohibition on the lighting of fires in open air is in place.

If the fire permit is issued when fire has been prohibited in open air ([section 52](#) (1) of the Act) the following condition must be included on the permit:

- immediately before lighting a fire you must make reasonable efforts to confirm that no restricted or prohibited fire season under [section 56](#) (1) of the Act is in place in the location of the fire. Use [Checkitsalright.nz](#).

The permit will also include a condition to notify the Communications Centre immediately prior to lighting the fire. For example:

- notify us before lighting the fire using the text code or email links provided or at [Firepermit.nz](#)
- call Southern fire communications on 03 341 0266.

For all fire permits where the fire is likely to be noticed by the public and reported as a 111 call, electronic notification is the preferred method. For example:

- where the fire is close to a road or
- to other houses or buildings, or
- the fire covers a large area such as land clearing.

During an open fire season, you can notify us by contacting the [fire communications centre](#), or preferably by clicking **Lighting a fire in an open season** on [firepermit.nz](#) and completing the **Permit Activation** form.

The notifications are flagged within the call centre system so when a 111 call is received it is clear there is a permitted/controlled fire.

Firebreaks

Fire and Emergency has the authority under [section 62](#) of the Act to require landholders to make or clear firebreaks on the landholder's land, or keep them clear if we think it's needed for fire control. This can include green firebreaks, or strips of lower flammability or removing all vegetation down to mineral earth.

Sections [63–68](#) of the Act detail appeal provisions and compliance pathways.

[Our Firebreaks policy and guideline](#) are used to apply the relevant science base calculation to check if a fire break is the right solution. The policy guides us to work closely with affected landholders to work towards a voluntary solution.

Fire and Emergency does have powers to require compliance, and to make or clear any firebreak and issue an infringement notice if compliance is not reached voluntarily.

Note: This power relates to making and clearing firebreaks outside of incident response – before a fire happens. Our powers during response in [section 43](#) allow us to create firebreaks as needed to prevent the spread of fire.

Fire hazard removal

If Fire and Emergency reasonably consider that vegetation, or some other thing, is a fire hazard, meaning that it is likely to endanger people or property by increasing the risk of outbreak or spread of fire, we can require that the vegetation or thing be removed or destroyed.

We will work with affected people to fix the issue first, but Fire and Emergency has the authority under [section 65](#) of the Fire and Emergency New Zealand Act 2017 to legally require action. You then have one month to fix the problem, although you can appeal against the requirement. Any appeal must be made within 14 days and will be handled through Fire and Emergency's dispute resolution scheme.

Our fire hazard removal powers apply to anything on the land, but not to anything on or inside a building. Local councils have the authority to address fire risk related to buildings, such as hoarding.

If it's urgent (an imminent danger) we can tell you, and immediately fix the problem ourselves in order to keep people and property safe.

Reporting fire hazards

Anyone who becomes aware of a fire hazard, or is worried that something is a fire hazard, can report it to Fire and Emergency.

To do this:

1. Go to [Fire hazards in your community](#) on our public website
2. Scroll down the page and choose **Submit a Fire Hazard Assessment Request**.
3. At the bottom of the page, under **Report a Potential Fire Hazard**, click **Start process**.
4. Complete the 'Potential Fire Hazard Advice' form.

Assessment of fire hazards

Fire and Emergency will assess whether there is a potential for the fuel to cause harm or damage to people or property if a fire starts. We will assess the likelihood of a fire starting and the consequences in terms of risk to human life, structures and other values.

We use an assessment tool to provide a structured framework for determining whether:

- it is appropriate for us to exercise our fire hazard removal powers under [sections 65–68](#) of the Act
- providing education to the complainant or occupier/owner of the location of the potential fire hazard on how to mitigate risks from fires is more appropriate
- the matter should be referred to another jurisdiction
- no further action is required.

Initial review

The assessor starts by answering four key questions:

- Is the potential hazard: trees close to power lines, or hoarding inside a building? If yes, then the hazard is referred to the relevant lines company or local council for action.

- Is the material involved likely to pose a risk to life or property through ignition without spreading? This covers fuel types that are likely to endanger adjacent or downwind properties (either through creating significant health concerns or possible contamination damage), without spreading. This could be due to smoke toxicity or high intensity of burning.
- Is there sufficient material of appropriate type and composition to support a fire spreading to adjacent property or values? This captures the spread potential, taking into consideration the physical properties of the fuel as well as the general topography and onsite conditions. That includes continuity, size and shape, fuel load and flammability, as well as likely direction of fire travel.
- Is the burning material likely to produce enough heat to cause damage to property? Gives consideration to the fire having sufficient energy to actually cause damage to property if spread to it, or to compromise the health of property users.

Risk assessment matrix

If it's appropriate, we then use a risk assessment matrix. This involves:

- assigning a risk of ignition rating, where 'rare' is a low rating and 'almost certain' is a high rating
- assigning a likely consequence rating for each component, and using the highest value of:
 - human life at risk
 - structure at risk
 - other values at risk
- using the risk of ignition and likely consequence ratings to determine the risk assessment score in the matrix

		Likely consequence (highest consequence rating)				
		1	2	3	4	5
Risk of ignition rating	5	5	10	15	20	25
	4	4	8	12	16	20
	3	3	6	9	12	15
	2	2	4	6	8	10
	1	1	2	3	4	5

- using the risk assessment matrix score to determine the next course of action.

Score	Next course of action
1-5	No further action.
6, 8, 9	Consider providing information/education to occupier/owner/complainant on how to mitigate risks from fire.
10, 12	Provide information/education to occupier/owner/complainant on how to mitigate risks from fire.
15, 16	Consider issuing a <i>Fire hazard removal notice (s 65)</i> , otherwise provide information/education to the occupier/owner /complainant on how to mitigate risks from fire.
20, 25	May issue a voluntary compliance letter citing a timeframe to meet that compliance. Failure to comply means the assessor must issue a <i>Fire hazard removal notice (s 65)</i> . Consider if an <i>Imminent danger notice (s 68)</i> is appropriate.

Outcomes from the fire hazard assessment

The assessment will recommend one of the following courses of action:

1. No further action, because the vegetation or other thing does not present a fire hazard. The matter may be referred to another agency such as the local council if appropriate, e.g. hoarding or vermin infestation.
2. Providing education and information to the occupier or owner of the land, and/or to the complainant, on how to mitigate any risks from fire, where the notice threshold has not been reached but the assessment indicates that proactive action would be helpful.
3. Providing the occupier or owner with the opportunity to voluntarily mitigate the risk within an appropriate time period, as the threshold for issuing a Fire hazard removal notice ([section 65](#)) has been met. If they won't do this voluntarily, we will issue a Fire hazard removal notice ([section 65](#)) to the occupier or owner of the land. The notice gives them one month to remove or destroy the vegetation or other thing increasing the risk of the outbreak or spread of fire.
4. Providing verbal notice to the owner or occupier of the land that we are taking immediate action to remove or destroy any vegetation or other thing on the land, that is a source of imminent danger, under [section 68](#). This power would only be used where there is an 'almost certain' likelihood of a fire starting or spreading at any moment, which would put life or property at risk.

Note: This power will be used very rarely.

Powers of entry

We will not enter private property (other than to knock on the front door or other entry point for the purpose of locating and speaking with an occupier) without permission from the occupier.

If permission is not granted or an occupier cannot be located, we will attempt to assess the potential fire hazard from outside of the property, for example, by viewing from the roadside or from a neighbouring property if we have consent to enter from the neighbour to do so.

If we need to, a Fire and Emergency inspector can enter and inspect land that is not a home or marae (or a building associated with a marae) in order to determine whether certain materials (including timber, dry plant cuttings and other flammable material) are being stored outside a building in a way that creates a fire hazard to the building, another building, or to any road or other public place (see [regulation 13\(4\)](#) of the [Fire and Emergency New Zealand \(Fire Safety, Evacuation Procedures, and Evacuation Schemes\) Regulations 2018](#)).

A Fire and Emergency inspector must obtain a warrant to enter and inspect land that is a home or marae (or a building associated with a marae).

We can take photographs of private land (or things on private land) from public land, so long as we don't take pictures of an area or thing that a person can reasonably expect to be private (e.g. a photo that includes a view into a shower or a secluded area where someone is sunbathing).

Fire hazard removal notice (section 65)

Fire hazard removal notice ([section 65](#)) is formal written notification under [section 65](#) of the Act to an occupier or owner of land that they must remove or destroy the 'vegetation or other thing' that has been assessed as meeting the threshold for issuing a notice.

The notice:

- describes the vegetation or other thing that must be removed or destroyed, including a map if practicable identifying the specific location or extent of the vegetation or other thing
- explains the risk that Fire and Emergency reasonably considers that the vegetation or other thing presents

- specifies the actions that must be taken to mitigate the fire hazard risk, e.g. how much vegetation must be removed or destroyed.

We will always attempt to negotiate with the occupier or owner to give them an opportunity to fix the issue voluntarily before we issue a fire hazard removal notice.

The occupier of the land where the fire hazard is located is primarily responsible for its removal or destruction. If the land is unoccupied, then the responsibility passes to the owner of the land.

Occupier, in relation to any place or land, means any person in lawful occupation of that place or land; and includes any employee or other person acting under the authority of any person in lawful occupation of that place or land.

Imminent danger notice (section 68)

An Imminent danger notice is verbal notification under [section 68](#) of the Act to an occupier or owner of land that Fire and Emergency is going to enter the land and remove or destroy any vegetation or other thing on land that we consider is a source of imminent danger from fire to life, property, or any road.

Anyone receiving the verbal notice should be able to understand:

- that Fire and Emergency has decided that [description of fire hazard] is a source of imminent danger to [life, property, and/or road]
- why the fire hazard is a source of imminent danger
- that Fire and Emergency has arranged for the [removal or destruction] of the fire hazard under [section 68](#) of the Act by [name of contractor] on [date]
- any arrangements for the storage of items removed from the land, and the terms under which the owner/occupier can retrieve those items.

In the event of an actual fire, we can use all of our powers to deal with the emergency, including [sections 42 and 43](#) to remove vegetation or material without telling you.

Regulatory compliance

Fire and Emergency's role

The Act gives Fire and Emergency compliance and enforcement responsibilities, and powers to support interventions in cases of non-compliance. In line with this, we have developed a comprehensive [Risk Reduction Strategy](#), supported by a Regulatory compliance policy. Our [Regulatory compliance guide](#) has details of our approach to compliance.

Compliance activities generally focus on education and awareness, followed by issuing warnings. If compliance is still an issue, then more formal enforcement powers may be used.

If there are cases of serious or repeated non-compliance, Fire and Emergency may use infringement notices or prosecute. For more information on Fire and Emergency's regulatory compliance policies and procedures and other relevant topics, visit <https://fireandemergency.nz/about-us/regulatory-compliance/>.

Contact Fire and Emergency

In case of an emergency please call 111

General enquiries and questions

- Recruitment/volunteering
- Fire safety information

- Fire permits and seasons
- Evacuation schemes
- Request for access to the site of an emergency

[Submit a general enquiry or question](#) or call **04 496 3600**

Lodge a complaint

<https://www.fireandemergency.nz/contact-us/complaints/>

Fire hazards

- Complete [this online form](#)
- You can also call the Regulatory Compliance Group on **0800 336 942**.

Local contacts for this plan

To communicate with the District team for this fire plan please email

taranakidistrict-businessservices@fireandemergency.nz.

Glossary

4R's - Reducing risk, ensuring response readiness, providing emergency response and making coordinated efforts to enable recovery following an emergency.

Build-up Index (BUI) - A component of the Fire Weather System. This index shows the amount of fuel available for combustion indicating how the fire will develop after the initial spread. It is calculated using the Duff Moisture and Drought Code.

Duff Moisture Code (DMC) - A numerical rating of the average moisture content of loosely compacted organic layers of moderate depth. This code gives an indication of fuel consumption in moderate duff layers and medium-size woody material.

Firebreak - A natural or an artificial physical barrier against the spread of fire from or into any area of continuous flammable material – e.g., a track bulldozed clear of all vegetation.

Fire control - Preventing, detecting, controlling, and putting out fire, and protecting persons and property from fire.

Fire control powers - Our ability to legally require people to stop doing things that increase the risk of a fire, e.g. restricting where and when they can use fire, requiring vegetation to be removed to prevent the spread of fire, etc.

Fire danger – A rating of how difficult a fire will be to control once it starts - e.g. low to extreme, low being easy to contain, extreme very difficult to contain.

Fire Danger Rating System - A relative class denoting the potential rates of spread, or suppression difficulty for specific combinations of temperature, relative humidity, drought effects and wind speed, indicating the relative evaluation of fire danger.

Fire environment - The surrounding conditions, influences, and modifying forces of topography, fuel, and weather that determine fire behaviour.

Fire hazard - Vegetation or other thing on the land that Fire and Emergency reasonably considers likely to endanger persons or property by increasing the risk of the outbreak or spread of fire.

Fire in open air - Fire that isn't in a fireplace in a building or structure or isn't in something else that Fire and Emergency says is not in the open air.

Fire risk conditions - Weather or other conditions that will, or are likely to, endanger persons or property by increasing the risk of the outbreak or spreading of fire.

Fire seasons – Period when we restrict or prohibit the use of fire in the open air. Areas that are not in a Restricted or Prohibited fire season are in an Open fire season. Can also refer to the October to May period when fires are more likely.

Fire weather – Weather conditions which influence fire ignition, behaviour, and suppression.

Fire Weather System - numerical values that indicate weather and fuel conditions that influence fire behaviour, which feeds into the Fire Danger Rating System.

Grass curing (GC) – A component of the Fire Weather System. Grass goes through a natural process where after flowering/seeding it changes colour as it dies off. This process is known as 'curing.' The degree of curing (%) is the portion of dead grass vs live. Dead grass allows fire to spread easily.

Important Bird Areas (IBAs) - Sites recognised as internationally important for bird conservation and known to support key bird species and other biodiversity. Legal protection, management and monitoring of these crucial sites are all important targets for action. Many bird species may be effectively conserved by these means.

Land cover – What covers the land – trees, grasslands, scrub, residential property.

Land use – How the land is used – e.g. primary production (farming), forestry, residential, industrial.

Local area - The area within the boundaries of a local advisory committee that are set in accordance with section 16 of the Act.

Primary production - Livestock farming for dairy, meat and wool. Horticulture, including kiwifruit, apples, avocados, grapes for wine production, vegetables, arable and seed crops, other horticultural crops, cut flowers, and other animal products. Also includes forestry, but this is dealt with separately in fire plans.


Public conservation land (PCL) – land used for conservation purposes, including National Parks and forest parks. Often managed by Department of Conservation or the regional council.

Remote Automatic Weather Station (RAWS) - Weather station that automatically provides the data used to determine weather and fuel conditions. Results are available from <https://fireweather.niwa.co.nz> and products such as Eco Connect.

Scientific Reserves - Per the Reserves Act 1977, the principal purpose of these reserves is the protection and preservation in perpetuity of areas for scientific study, research, education, and the benefit of the country.

Taranaki information

This section contains the information specific to this fire plan area, including an overview of the area, and more detailed information for each of the zones within the area.



Area overview

Geography

Taranaki is on the West coast of the North Island, surrounding the volcanic peak of Mount Taranaki. Taranaki is home to approximately 127,300 people and New Plymouth is the region's major city (87,700). Hāwera, Stratford, Ōpunake, Waitara and Inglewood are key towns within the province. It is 723,610 hectares.

The region is exceptionally fertile thanks to generous rainfall and rich volcanic soil. Agriculture, in particular dairy farming, is the backbone of Taranaki's economy. Dairy farming dominates, with Fonterra's Whareroa milk factory just outside of Hāwera producing the largest volume of dairy ingredients from a single factory anywhere in the world.

Taranaki is the centre of New Zealand's oil and gas exploration and petrochemical industry. Oil and gas deposits in the region, both on- and off-shore, the Maui gas field off the south-west coast has provided most of New Zealand's gas supply and once supported two methanol plants, at Motunui. Fuel and fertiliser are also produced at a well complex at Kapuni and several smaller land-based oilfields. With the Maui field nearing depletion, new offshore resources have been developed: the Kupe field, 30 km south of Hāwera and the Pohokura gas field, 4.5 km north of Waitara.

Taranaki has 16 Major hazard facilities located throughout the district.

The Taranaki bight land mass projects into the Tasman Sea. This exposure along with the mountain, creates risks to be aware of including:

- northerly, westerly and southerly exposures
- volcanic
- weather events (tornados/floods)
- earthquakes
- tsunami

The Taranaki fire plan area comprises all lands within the three Taranaki territorial authorities, including those lands administered by the Department of Conservation (DOC).

Increasing urban development is occurring within the rural areas, as people are attracted to a rural lifestyle that is within easy commuting distance of the Taranaki urban areas, with this trend expected to rise.

Taranaki includes large areas of public recreation, leisure and tourism. This results in seasonal fluctuations in the population and demands on recreational space.

The vegetation varies considerably with areas of comparatively volatile fuel species and developing areas of Carbon Forestry. Along with the extensive pastoral farming areas there are also areas of coastal village development. Across the District the rural urban interface comprises small urban styled subdivisions, lifestyle blocks, small rural communities and villages.

The coastal areas carry particularly volatile coastal scrub and are often subject to extreme weather conditions. Risks in remote areas are increased by a range of alternative heating, cooking, lighting and power sources requiring the storage of large quantities of highly flammable liquid fuels, solid fuels and liquefied gas.

Rural land use and land cover varies greatly across the District with a mix of pastoral and horticulture in the western areas.

There has been an increase in the number of Carbon Forests in Taranaki, and we have seen a number of sheep and beef farms converted into carbon forestry blocks.

There are large areas of native bush and regenerating scrub, often with high environmental and conservation values.

Demographics

At Fire and Emergency New Zealand, we have an in-depth knowledge of the demographics for each of the communities we serve. These demographics help us to understand the type of support each of our communities might need and how we communicate with them.

We use this knowledge in all aspects of our work, including our delivery of the 4Rs of emergency management and for fire control measures, such as declaring the beginning and end of fire seasons, prohibiting and restricting, activities including the use fire, and issuing fire permits.

This knowledge helps us [communicate to our various partners and stakeholders](#) at both area and local zone level.

Zones

Because the different fire risk conditions that exist in different parts of the fire plan area, the area is divided into several different fire season zones to allow for appropriate fire control measures to be applied locally:

- Northern Taranaki Zone
- Central Taranaki Zone
- Southern Taranaki Zone
- Ngaere Peat Swamp
- Public conservation land (PCL)

Each zone is described and its relevant trigger thresholds and other factors for changing fire seasons are listed in the Appendices.

NZ Defence Force

No scheduled Defence Areas

Fire and Emergency has entered into an operational service agreement with the New Zealand Defence Force. The New Zealand Defence Force exercises fire control powers in relation to certain Defence Areas listed in a schedule to the agreement, where they have their own fire plans.

None of the scheduled Defence Areas are in the Taranaki local area. Any New Zealand Defence Force activities, including training activities, in other Defence Areas are subject to Fire and Emergency's fire permit requirements, though not our other fire control powers.

Frequency of elevated fire danger

On average, this area experiences:

- 2 of days of extreme fire danger
- 3.5 of days of very high fire danger

Fire history

The known fire history for the Taranaki District for wildfires or fires caused by activities regulated by our fire control powers includes

Year	Fire	Cause	Zone
2007	Aotuhia – PCL	Escaped control burn	Public Conservation
2015	Block 9 Waitotara – South	Escaped control burn	Southern
2017	Henwood Rd Tyre fire – North	Escaped control burn	Northern
2017	Rowan Road – South	Escaped control burn	Southern
2018	Whangamōmona - PCL	Lightning strikes	Public Conservation

2019	Molten metals – North	Crane contacting high tension power lines	Northern
2019	Inglewood timber yard – North	Electrical fault	Northern
2020	McKechie Metals – North	Accidental contractor grinding	Northern
2020	Meremere Road – South	Suspicious	Southern
2020	Okoki Road – North	Escaped control burn	Northern
2020	Okau Road – North	Suspicious	Northern
2020	Whangamōmona – Central	Escaped control burn	Central
2022	Waitaanga	Suspicious	Public Conservation
2022	Waitaanga	Suspicious	Northern

Public conservation land

Due to the values at risk, public conservation lands are kept in a restricted fire season all year round. When the surrounding zone goes to a prohibited fire season, the public conservation land is included in the prohibited status. Even when the surrounding zone goes to an open fire season, public conservation land will remain in a restricted fire season.

Local contacts

Taranaki District Office Phone: 06 351 3950

Schedule of stakeholders

This schedule of stakeholders includes those who should be involved in the creation of these fire plan and their amendments, or consulted before making use of the powers of [Section 52](#) of the Fire and Emergency New Zealand Act 2017, or notified when this happens. Zone-level stakeholders are listed with each zone description.

When we say...	What we mean is...
Consult while amending plan	You will have the opportunity for input into the fire plan before it is released for public consultation. Can include workshops and other opportunities to contribute.
Public consultation	You will have the opportunity to comment during the 4-week public consultation period.
Consult during decision making	The plan to change to a prohibited fire season or use Section 52 will be discussed with you before it is implemented.
Notify of decision	You will be contacted directly when there is a change to a prohibited fire season, or when Section 52 is implemented.
Notify using public channels	You will find out about the change in fire season etc. the same way as other members of the public.
Notify via normal channels	This is relationship based, at either national or local level where existing relationships and engagement arrangements are used.

National-level stakeholders

Stakeholders who have an interest in this fire plan area but are managed at national level.

Stakeholder	Fire plan development	Fire plan amendment	Fire season changes Restricted or prohibited. Moving to, or revoking	Section 52 fire prohibitions	Section 52 restrictions/ prohibitions on activities
Department of Conservation	Consulted while creating plan	Consult while amending plan	Consult during decision making	Consult during decision making	Consult during decision making
Environmental Protection Authority	Consulted while creating plan	Consult while amending plan	Notify using public channels	Notify using public channels	Notify using public channels
Federated Farmers NZ	Public consultation	Consult while amending plan	Consult during decision making	Consult during decision making	Consult during decision making
Land Information NZ	Consulted while creating plan	Consult while amending plan	Notify using public channels	Notify using public channels	Notify using public channels

Stakeholder	Fire plan development	Fire plan amendment	Fire season changes Restricted or prohibited. Moving to, or revoking	Section 52 fire prohibitions	Section 52 restrictions/ prohibitions on activities
Taituarā - Local Govt Professionals Aotearoa (SOLGM)	Consulted while creating plan	Consult while amending plan	Notify using public channels	Notify using public channels	Notify using public channels
Local Government NZ	Consulted while creating plan	Consult while amending plan	Notify using public channels	Notify using public channels	Notify using public channels
Forest Owners Association	Consulted while creating plan	Consult while amending plan	Consult during decision making	Consult during decision making	Consult during decision making
Ministry for Primary Industries - Te Uru Rākau and Crown Forestry	Consulted while creating plan	Consult while amending plan	Notify of decision	Notify of decision	Consult during decision making
NZ Farm Forestry Association	Public consultation	Consult while amending plan	Consult during decision making	Consult during decision making	Consult during decision making
Ngā Whenua Rāhui	Public consultation	Consult while amending plan	Notify using public channels	Notify using public channels	Notify using public channels
Waka Kotahi NZ Transport Agency	Public consultation	Consult while amending plan	Notify using public channels	Notify using public channels	Consult during decision making
New Zealand Police	Public consultation	Public consultation	Notify of decision	Notify using public channels	Notify using public channels

If your organisation should be involved in fire plans at a national level, please contact us.

Area-level stakeholders

This list is for stakeholders who have an interest across the fire plan area. . Fire and Emergency undertakes to consult as indicated for each zone's stakeholders.

Stakeholder	Fire plan development	Fire plan amendment	Fire season changes Restricted or prohibited. Moving to, or revoking	Section 52 fire prohibitions	Section 52 restrictions/ prohibitions on activities
Department of Conservation	Public consultation	Public consultation	Consult during decision making and notify of decision	Consult during decision making and notify of decision	Notify of decision
Public	Public consultation	Public consultation	Notify via public channels	Notify via public channels	Notify via public channels
New Plymouth District Council	Public consultation	Public consultation	Notify of decision	Notify of decision	Notify of decision
Stratford District Council	Public consultation	Public consultation	Notify of decision	Notify of decision	Notify of decision
South Taranaki District Council	Public consultation	Public consultation	Notify of decision	Notify of decision	Notify of decision
Taranaki Regional Council	Public consultation	Public consultation	Notify of decision	Notify of decision	Notify of decision
Taranaki Emergency Management Office	Public consultation	Public consultation	Notify of decision	Notify of decision	Notify of decision

If your organisation should be involved in fire plans and have an interest across the whole fire plan area, please contact us about being added to this list.

Zone information

Northern Taranaki Zone

Geography	North Taranaki zone aligns with New Plymouth District Council territorial boundary. It consists of significant built urban environments of New Plymouth city and secondary towns of Waitara, Inglewood, Ōakura, Ōkato and Urenui. A large proportion of the zone is made up of pastureland and hill country with the remaining land area containing scrub and public conservation land.
Demographics	This Zone has a strong Māori presence. The local iwi (tribes) in North Taranaki are: Ngāti Mutunga, Te Āti Awa and Ngāti Tama.
Climate/weather	<p>This zone has a temperate climate. Situated on the Western side of the North Island, it is exposed to all weather systems moving from the West. Being surrounded by ocean, annual mean land temperature varies between 11 to 14°C in lowland parts of the region. Average annual rainfall totals in the region vary, with a narrow coastal strip receiving in the order of 1400–1600 mm. Most of the area has rainfall in excess of 1800 mm and reaching in excess of 5000 mm on the slopes of Mt Taranaki.</p> <p>Dry conditions and drought in the region occur during episodes of Easterly flow with anticyclones occurring east of the South Island. The northern part of the region experiences some rainfall deficit.</p>
Land cover/ land use	<p>The vegetation varies considerably with areas of comparatively volatile fuel species and developing areas of forest. Along with the extensive pastoral farming areas there are also areas of coastal village development. This coastal development creates high recreational use and the seasonal growth of population pose a significant risk of fire. Across the District the rural urban interface with small urban styled subdivisions, lifestyle blocks, small rural communities and villages creates several challenges when mitigating the threats and risks associated with rural fire.</p> <p>The coastal areas carry particularly volatile coastal scrub and are often subject to extreme weather conditions. Risks in remote areas are increased by a range of alternative heating, cooking, lighting and power sources requiring the storage of large quantities of highly flammable liquid fuels, solid fuels and liquefied gas.</p> <p>Rural land use and land cover varies greatly across this zone with a mix of pastoral and horticulture in the western areas.</p> <p>There has been an increase in the number of Carbon Forests in Taranaki, and we have seen a number of Sheep and Beef farms converted into Carbon forestry blocks.</p> <p>There are large areas of native bush and regenerating scrub, often with high environmental and conservation values.</p> <p>Refer to Appendix 1 Taranaki land cover map.</p>

Industry

Industry	Contributes to increased risk of fire in high risk conditions	Affected by use of fire control measures	Needs to be protected by using fire control measures
Primary production, including horticulture and agriculture <ul style="list-style-type: none"> • use of machinery – sparks • use of fire for land management • relevant operations affected 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Forestry <ul style="list-style-type: none"> • use of machinery – sparks • relevant operations affected • Use of firebreaks 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Apiculture (beekeeping) <ul style="list-style-type: none"> • Use of smoke • Use of fire to destroy infested hives 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> • Impacted by restrictions on activities for suppliers 	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tourism and recreation <ul style="list-style-type: none"> • People unfamiliar with local fire risk and rules • Access to locations may be restricted 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Lifeline utilities/other infrastructure

Lifeline utility/ other infrastructure	Contributes to increased risk of fire in high risk conditions	Affected by use of fire control measures	Needs to be protected by using fire control measures
Electricity transmission lines <ul style="list-style-type: none"> • Sparking during high winds • Use of auto-reclosers limited in high fire danger • Recommended vegetation mitigation practices 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Railway line <ul style="list-style-type: none"> • Sparks from passing trains and during track maintenance 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Roading network	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

<ul style="list-style-type: none"> Sparks from vehicle malfunction, discarded cigarettes Spark causing activities during road maintenance and mowing 			
Natural gas distribution network <ul style="list-style-type: none"> Gas leaks Protected by own controls on use of fire and other activities in vicinity 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Taranaki Regional Airport <ul style="list-style-type: none"> Requirement for notification and permission for burns in flight path, under CAA rules Protected by own controls on use of fire and other activities in vicinity 	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Telecommunications network <ul style="list-style-type: none"> Protect by applying controls to surrounding areas 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Cultural and recreational activities and events

Tangata whenua have very strong ties to their whenua (land) and culture, and value being able to use their whenua without unnecessary restrictions.

We will consult with tangata whenua and consider the needs of iwi when making decisions about implementing restrictions or prohibitions with our fire control powers. The relevant iwi for this zone are listed as stakeholders.

Large scale events that might be cancelled because a restriction on activities can have a significant economic impact.

Placing restrictions or prohibitions on fire hazardous activities should not impose any unreasonable restrictions on people living and enjoying recreational activities in this zone.

Cultural and recreational activities and events	Contributes to increased risk of fire in high risk conditions	Affected by use of fire control measures	Needs to be protected by using of fire control measures
Cultural cooking, e.g. Hāngī	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fireworks <ul style="list-style-type: none"> Use may be prohibited during high fire danger Pyrotechnics managed by other approvals 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hunting <ul style="list-style-type: none"> Campfires 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Special risk areas	<ul style="list-style-type: none"> Access may be restricted during high fire danger 			
	Mountain biking, horse riding, back country running <ul style="list-style-type: none"> Access may be restricted during high fire danger 	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Pig hunting and deer stalking <ul style="list-style-type: none"> Use of off-road vehicles – hot exhausts in long grass 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<ul style="list-style-type: none"> Campfires Increase in people without knowledge of fire risk or rules 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Special risk area	Contributes to increased risk of fire in high risk conditions	Affected by use of fire control measures	Needs to be protected by using of fire control measures
	Public conservation land <ul style="list-style-type: none"> Ecological values at risk In own zone to apply separate controls 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Major Hazard Facilities	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Known fire hazards	There are no long-term fire hazards listed in this zone in the Fire Hazard Removal Case Management System.			
Predominant fuel type	The predominant fuel types in this zone are grassland, scrub and forest both native and exotic.			

Thresholds

Fire seasons

Build-up Index (BUI) and the degree of grass curing (GC%) are the most relevant fire weather indices to monitor where there is a mixture of forestry and grasslands as the predominant fuel types.

Grass Curing (GC%)	Build Up Index (BUI)		
(%)	0-40	40-60	>60
0-50	Open	Open/Restricted	Restricted/Prohibited
50-80	Open/Restricted	Restricted	Prohibited
>80	Restricted/Prohibited	Prohibited	Prohibited

Interpreting this matrix:

Open	Open fire season
Open/Restricted	Open fire season but we may move to a restricted season earlier if forecast conditions support this.
Restricted	Restricted fire season
Restricted/prohibited	Restricted Fire Season but we may move to a prohibited season earlier if forecast conditions support this or stay in a prohibited season longer if grasses remain dry and cured.
Prohibited	Prohibited fire season

Prohibition on fires in open air (section 52)

We can use the same Fire Weather System trigger thresholds for prohibiting fires in the open air under [Section 52](#) as we do for changing to a prohibited fire season but use Section 52 when the fire risk conditions are not expected to last long enough to make changing to a prohibited fire season practical.

Other local thresholds have not been set.

Prohibitions or restrictions on activities (section 52)

Localised trigger thresholds for applying section 52 to activities have not yet been developed, however there are some local mitigations used to reduce the need to implement it.

Roadside mowing, mowing, ploughing or harrowing fields

Fire and emergency have a Mowing and Hot works group which was established to provide advice on current and forecast fire weather conditions during elevated risk. This allows spark hazardous operators to implement mitigation measures or stop work when risk is high.

Powerline auto-reclosers

Fire and Emergency will consult with local lines companies about what mitigations they will apply during times of increased fire risk.

Advice is available through check it's alright for when to avoid certain activities that may be of risk for causing a wildfire. Noting these are voluntary restrictions it is envisaged the majority of public will follow this, where there is an elevated risk or public are not following this advice, imposing prohibitions or restrictions on activities is a tool available to us.

**Representative
remote automated
weather stations**

The Remote Automated Weather Stations (RAWS) used to determine whether we have reached the trigger thresholds are:


- New Plymouth Aero Club
- Eltham
- Waverley
- Tikorangi
- Ōpunake
- Marco
- Ōkato
- Ngamatapouri

We will consider the forecast for these locations when declaring or revoking a fire season.

The weather stations collectively provide hourly data. This data is assessed daily and used to help determine the fire season status.

Decisions surrounding change of fire season also consider upcoming weather predictions along with collected data from weather stations and local knowledge, which is determined by a trained professional.

Zone Map



Central Taranaki Zone

Geography	Central Taranaki zone aligns with the Stratford District Council territorial boundaries. It consists of built urban environments of Stratford and several small towns including Midhurst, Tariki, Toko and Whangamōmona. A large proportion of the zone is made up of hill country with the remaining land area containing pastureland, forestry (Te Wera) and public conservation land.
Demographics	This zone has a strong Māori presence. The local iwi (tribes) of Central Taranaki is: Ngāti Maru.
Climate/weather	<p>This zone has a temperate climate. Situated on the Western side of the North Island, it is exposed to all weather systems moving from the West. Being surrounded by ocean, annual mean land temperature varies between 11 to 14°C in lowland parts of the region. Average annual rainfall totals in the region vary, with a narrow coastal strip receiving in the order of 1400–1600 mm. Most of the area has rainfall in excess of 1800 mm and reaching in excess of 5000 mm on the slopes of Mt Taranaki.</p> <p>Dry conditions and drought in the Taranaki region occur during episodes of Easterly flow with anticyclones occurring east of the South Island. The northern part of the region experiences some rainfall deficit, but the Southern coast is drier.</p>
Land cover/ land use	<p>The vegetation varies considerably with areas of comparatively volatile fuel species and developing areas of forest. Along with the extensive pastoral farming areas there are also areas of coastal village development. This creates high recreational use and the seasonal growth of population pose a significant risk of fire. Across the District the rural urban interface with small urban styled subdivisions, lifestyle blocks, small rural communities and villages creates several challenges when mitigating the threats and risks associated with rural fire.</p> <p>The coastal areas carry particularly volatile coastal scrub and are often subject to extreme weather conditions. Risks in remote areas are increased by a range of alternative heating, cooking, lighting and power sources requiring the storage of large quantities of highly flammable liquid fuels, solid fuels and liquefied gas.</p> <p>Rural land use and land cover varies greatly across this zone with a mix of pastoral and horticulture in the western areas.</p> <p>There has been an increase in the number of Carbon Forests in Taranaki, and we have seen a number of sheep and beef farms converted into carbon forestry blocks.</p> <p>There are large areas of native bush and regenerating scrub, often with high environmental and conservation values.</p> <p>Refer to Appendix 1 - Taranaki land cover map.</p>

Industry

Industry	Contributes to increased risk of fire in high risk conditions	Affected by use of fire control measures	Needs to be protected by using fire control measures
Primary production, including horticulture and agriculture <ul style="list-style-type: none"> • use of machinery – sparks • use of fire for land management • relevant operations affected 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Forestry <ul style="list-style-type: none"> • use of machinery – sparks • relevant operations affected • Use of firebreaks 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Apiculture (beekeeping) <ul style="list-style-type: none"> • Use of smoke • Use of fire to destroy infested hives 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> • Impacted by restrictions on activities for suppliers 	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tourism and recreation <ul style="list-style-type: none"> • People unfamiliar with local fire risk and rules • Access to locations may be restricted 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Lifeline utilities/other infrastructure

Lifeline utility/ other infrastructure	Contributes to increased risk of fire in high risk conditions	Affected by use of fire control measures	Needs to be protected by using fire control measures
Electricity transmission lines <ul style="list-style-type: none"> • Sparking during high winds • Use of auto-reclosers limited in high fire danger • Recommended vegetation mitigation practices 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Railway line <ul style="list-style-type: none"> • Sparks from passing trains and during track maintenance 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Lifeline utility/ other infrastructure	Contributes to increased risk of fire in high risk conditions	Affected by use of fire control measures	Needs to be protected by using fire control measures
Roading network <ul style="list-style-type: none"> Sparks from vehicle malfunction, discarded cigarettes Spark causing activities during road maintenance and mowing	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Natural gas distribution network <ul style="list-style-type: none"> Gas leaks Protected by own controls on use of fire and other activities in vicinity 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Telecommunications network <ul style="list-style-type: none"> Protect by applying controls to surrounding areas 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Recreational locations

Historically there have been no closures of recreational locations in this zone.

Cultural and recreational activities and events

Tangata whenua have very strong ties to their whenua (land) and culture, and value being able to use their whenua without unnecessary restrictions.

We will consult with tangata whenua and consider the needs of iwi when making decisions about implementing restrictions or prohibitions with our fire control powers. The relevant iwi for this zone are listed as stakeholders.

Large scale events that might be cancelled because a restriction on activities can have a significant economic impact.

Placing restrictions or prohibitions on fire hazardous activities should not impose any unreasonable restrictions on people living and enjoying recreational activities in this zone.

Cultural and recreational activities and events	Contributes to increased risk of fire in high risk conditions	Affected by use of fire control measures	Needs to be protected by using of fire control measures
Cultural cooking, e.g. Hāngī	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fireworks <ul style="list-style-type: none"> Use may be prohibited during high fire danger Pyrotechnics managed by other approvals 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Special risk areas	Cultural and recreational activities and events	Contributes to increased risk of fire in high risk conditions	Affected by use of fire control measures	Needs to be protected by using of fire control measures
	Hunting <ul style="list-style-type: none"> Campfires Access may be restricted during high fire danger 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Mountain biking, horseriding, back country running <ul style="list-style-type: none"> Access may be restricted during high fire danger 	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Pig hunting and deer stalking <ul style="list-style-type: none"> Use of off-road vehicles – hot exhausts in long grass 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<ul style="list-style-type: none"> Campfires Increase in people without knowledge of fire risk or rules 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Special risk area	Contributes to increased risk of fire in high risk conditions	Affected by use of fire control measures	Needs to be protected by using of fire control measures
	Public conservation land <ul style="list-style-type: none"> Ecological values at risk In own zone to apply separate controls 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Major Hazard Facilities	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Known fire hazards There are no long-term fire hazards listed in this zone in the Fire Hazard Removal Case Management System.

Predominant fuel type The predominant fuel type in this zone is Grass, Scrub and Forest. We are seeing an increase in Carbon forestry.

Thresholds

Fire seasons

Build-up Index (BUI) and the degree of grass curing (GC%) are the most relevant fire weather indices to monitor where there is a mixture of forestry and grasslands as the predominant fuel types.

Grass Curing (GC%)	Build Up Index (BUI)		
(%)	0-40	40-60	>60
0-50	Open	Open/Restricted	Restricted/Prohibited
50-80	Open/Restricted	Restricted	Prohibited
>80	Restricted/Prohibited	Prohibited	Prohibited

Interpreting this matrix:

Open	Open fire season
Open/Restricted	Open fire season but we may move to a restricted season earlier if forecast conditions support this.
Restricted	Restricted fire season
Restricted/prohibited	Restricted Fire Season but we may move to a prohibited season earlier if forecast conditions support this or stay in a prohibited season longer if grasses remain dry and cured.
Prohibited	Prohibited fire season

Prohibition on fires in open air (section 52)

We can use the same Fire Weather System trigger thresholds for prohibiting fires in the open air under section 52 as we do for changing to a prohibited fire season but use section 52 when the fire risk conditions are not expected to last long enough to make changing to a prohibited fire season practical.

Other local thresholds have not been set.

Prohibitions or restrictions on activities (section 52)

Localised trigger thresholds for applying section 52 to activities have not yet been developed, however there are some local mitigations used to reduce the need to implement it.

Roadside mowing, mowing, ploughing or harrowing fields

Fire and emergency have a Mowing and Hot works group which was established to provide advice on current and forecast fire weather conditions during elevated risk. This allows spark hazardous operators to implement mitigation measures or stop work when risk is high.

Powerline auto-reclosers

Fire and Emergency will consult with local lines companies about what mitigations they will apply during times of increased fire risk.

Advice is available through check it's alright for when to avoid certain activities that may be of risk for causing a wildfire. Noting these are voluntary restrictions it is envisaged the majority of public will follow this, where there is an elevated risk or public are not following this advice, imposing prohibitions or restrictions on activities is a tool available to us.

**Representative
remote automated
weather stations**

The Remote Automated Weather Stations (RAWS) used to determine whether we have reached the trigger thresholds are:


New Plymouth Aero Club	Eltham	Waverley
Tikorangi	Ōpunake	Marco
Ōkato	Ngamatapouri	

We will consider the forecast for these locations when declaring or revoking a fire season.

The weather stations collectively provide hourly data. This data is assessed daily and used to help determine the fire season status.

Decisions surrounding change of fire season also consider upcoming weather predictions along with collected data from weather stations and local knowledge, which is determined by a trained professional.

Zone Map



Southern Taranaki Zone

Geography Southern Taranaki zone aligns with the South Taranaki District Council territorial boundaries. It consists of built urban environments of Hāwera and several small towns consisting of Ōpunake, Eltham, Waverley, Pātea, Manaia and Okaiawa. A large proportion of the zone is made up of pastureland and hill country with the remaining land area containing forestry and public conservation land.

Demographics This zone has a strong Māori presence. The local iwi (tribes) of South Taranaki are: Ngāti Ruanui, Taranaki, Nga Rauru and Ngāruahinerangi.

Climate/weather This zone has a temperate climate. Situated on the Western side of the North Island, it is exposed to all weather systems moving from the West. Being surrounded by ocean, annual mean land temperature varies between 11 to 14°C in lowland parts of the region. Average annual rainfall totals in the region vary, with a narrow coastal strip receiving in the order of 1400–1600 mm. Most of the area has rainfall in excess of 1800 mm and reaching in excess of 5000 mm on the slopes of Mt Taranaki.

Dry conditions and drought in the Taranaki region occur during episodes of Easterly flow with anticyclones occurring east of the South Island. The northern part of the region experiences some rainfall deficit, but the Southern coast is drier especially during periods of El Nino.

Land cover/land use The vegetation varies considerably with areas of comparatively volatile fuel species and developing areas of forest. Along with the extensive pastoral farming areas there are also areas of coastal village development. This creates high recreational use and the seasonal growth of population pose a significant risk of fire. Across the District the rural urban interface with small urban styled subdivisions, lifestyle blocks, small rural communities and villages creates several challenges when mitigating the threats and risks associated with rural fire.

The coastal areas carry particularly volatile coastal scrub and are often subject to extreme weather conditions. Risks in remote areas are increased by a range of alternative heating, cooking, lighting and power sources requiring the storage of large quantities of highly flammable liquid fuels, solid fuels and liquefied gas.

Rural land use and land cover varies greatly across this zone with a mix of pastoral, Forestry and horticulture in the western areas.

There has been an increase in the number of Carbon Forests in Taranaki, and we have seen a number of Sheep and Beef farms converted into Carbon forestry blocks.

There are large areas of native bush and regenerating scrub, often with high environmental and conservation values.

Refer to [Appendix 1 - Taranaki land cover map](#).

Industry	Industry	Contributes to increased risk of fire in high risk conditions	Affected by use of fire control measures	Needs to be protected by using fire control measures
	Primary production, including horticulture and agriculture	☒	☒	☒

<ul style="list-style-type: none"> • use of machinery – sparks • use of fire for land management • relevant operations affected 			
Forestry <ul style="list-style-type: none"> • use of machinery – sparks • relevant operations affected • Use of firebreaks 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Apiculture (beekeeping) <ul style="list-style-type: none"> • Use of smoke • Use of fire to destroy infested hives 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> • Impacted by restrictions on activities for suppliers 	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tourism and recreation <ul style="list-style-type: none"> • People unfamiliar with local fire risk and rules • Access to locations may be restricted 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Industry in zone that may affect or be affected when Fire and Emergency exercises its fire control powers – do we use our powers to protect it, or will it be closed by a restriction on activities?

Lifeline utilities/other infrastructure

Lifeline utility/ other infrastructure	Contributes to increased risk of fire in high risk conditions	Affected by use of fire control measures	Needs to be protected by using fire control measures
Electricity transmission lines <ul style="list-style-type: none"> • Sparking during high winds • Use of auto-reclosers limited in high fire danger • Recommended vegetation mitigation practices 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Railway line <ul style="list-style-type: none"> • Sparks from passing trains and during track maintenance 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Roothing network <ul style="list-style-type: none"> • Sparks from vehicle malfunction, discarded cigarettes • Spark causing activities during road maintenance and mowing 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Natural gas distribution network <ul style="list-style-type: none"> • Gas leaks 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

<ul style="list-style-type: none"> Protected by own controls on use of fire and other activities in vicinity 			
Telecommunications network <ul style="list-style-type: none"> Protect by applying controls to surrounding areas 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Waipipi wind farms	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Power/gas lines or other infrastructure in zone that may affect or be affected when Fire and Emergency exercises its fire control powers – e.g. powerline auto reclosers.

Recreational locations

Historically there have been no closures of recreational locations in this zone.

Cultural and recreational activities and events

Tangata whenua have very strong ties to their whenua (land) and culture, and value being able to use their whenua without unnecessary restrictions.

We will consult with tangata whenua and consider the needs of iwi when making decisions about implementing restrictions or prohibitions with our fire control powers. The relevant iwi for this zone is listed as stakeholders.

Large scale events that might be cancelled because a restriction on activities can have a significant economic impact.

Placing restrictions or prohibitions on fire hazardous activities should not impose any unreasonable restrictions on people living and enjoying recreational activities in this zone.

Cultural and recreational activities and events	Contributes to increased risk of fire in high risk conditions	Affected by use of fire control measures	Needs to be protected by using of fire control measures
Cultural cooking, e.g. Hāngī	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fireworks <ul style="list-style-type: none"> Use may be prohibited during high fire danger Pyrotechnics managed by other approvals 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hunting <ul style="list-style-type: none"> Campfires Access may be restricted during high fire danger 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Mountain biking, horse riding, back country running <ul style="list-style-type: none"> Access may be restricted during high fire danger 	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Pig hunting and deer stalking <ul style="list-style-type: none"> Use of off-road vehicles – hot exhausts in long grass 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> Campfires 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Special risk areas

<ul style="list-style-type: none"> Increase in people without knowledge of fire risk or rules 			
Special risk area	Contributes to increased risk of fire in high risk conditions	Affected by use of fire control measures	Needs to be protected by using of fire control measures
Public conservation land <ul style="list-style-type: none"> Ecological values at risk In own zone to apply separate controls 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Major Hazard Facilities	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Areas of high value that may adjust when we exercise our fire control powers, e.g. due to lower appetite for risk. Can include public conservation lands in zone.

Predominant fuel type

The predominant fuel type in this zone is Grassland, Scrub and Forestry. We are seeing an increase in Carbon Forestry.

Thresholds**Fire seasons**

Build-up Index (BUI) and the degree of grass curing (GC%) are the most relevant fire weather indices to monitor where there is a mixture of forestry and grasslands as the predominant fuel types.

Grass Curing (GC%)	Build Up Index (BUI)		
(%)	0-40	40-60	>60
0-50	Open	Open/Restricted	Restricted/Prohibited
50-80	Open/Restricted	Restricted	Prohibited
>80	Restricted/Prohibited	Prohibited	Prohibited

Interpreting this matrix:

Open	Open fire season
Open/Restricted	Open fire season but we may move to a restricted season earlier if forecast conditions support this.
Restricted	Restricted fire season
Restricted/prohibited	Restricted Fire Season but we may move to a prohibited season earlier if forecast conditions support this or stay in a prohibited season longer if grasses remain dry and cured.
Prohibited	Prohibited fire season

Prohibition on fires in open air (section 52)

We can use the same Fire Weather System trigger thresholds for prohibiting fires in the open air under section 52 as we do for changing to a prohibited fire season but use section 52 when the fire risk conditions are not expected to last long enough to make changing to a prohibited fire season practical.

Other local thresholds have not been set.

Prohibitions or restrictions on activities (section 52)

Localised trigger thresholds for applying section 52 to activities have not yet been developed, however there are some local mitigations used to reduce the need to implement it.

Roadside mowing, mowing, ploughing or harrowing fields

Fire and emergency have a Mowing and Hot works group which was established to provide advice on current and forecast fire weather conditions during elevated risk. This allows spark hazardous operators to implement mitigation measures or stop work when risk is high.

Powerline auto-reclosers

Fire and Emergency will consult with local lines companies about what mitigations they will apply during times of increased fire risk.

Advice is available through check it's alright for when to avoid certain activities that may be of risk for causing a wildfire. Noting these are voluntary restrictions it is envisaged the majority of public will follow this, where there is an elevated risk or public are not following this advice, imposing prohibitions or restrictions on activities is a tool available to us.

**Representative
remote automated
weather stations**

The Remote Automated Weather Stations (RAWS) used to determine whether we have reached the trigger thresholds are:


- New Plymouth Aero Club
- Waverley
- Tikorangi
- Eltham
- Ōpunake
- Whareroa
- Marco
- Ōkato
- Ngamatapouri

We will consider the forecast for these locations when declaring or revoking a fire season.

The weather stations collectively provide hourly data. This data is assessed daily and used to help determine the fire season status.

Decisions surrounding change of fire season also consider upcoming weather predictions along with collected data from weather stations and local knowledge, which is determined by a trained professional.

Zone Map



Ngaere Peat Swamp Zone

Geography	Area of peat swamp comprised of 95% pastureland. The Ngaere peat swamp boundaries are defined by the map at the end of this section.
Demographics	This zone has a strong Māori presence. The local iwi (tribes) of South Taranaki is: Ngāti Ruanui.
Climate/weather	<p>This zone has a temperate climate. Situated on the Western side of the North Island, it is exposed to all weather systems moving from the West. Being surrounded by ocean, annual mean land temperature varies between 11 to 14°C in lowland parts of the region. Most of the area has rainfall in excess of 1800 mm.</p> <p>Dry conditions and drought in the Taranaki region occur during episodes of Easterly flow with anticyclones occurring east of the South Island. The northern part of the region experiences some deficit, but the Southern coast is drier.</p>
Land cover/land use	<p>The predominant land cover for this zone is pastoral land.</p> <p>Refer to Appendix 1 - Taranaki land cover map.</p>

Industry

Industry	Contributes to increased risk of fire in high risk conditions	Affected by use of fire control measures	Needs to be protected by using fire control measures
Primary production, including horticulture and agriculture <ul style="list-style-type: none"> • use of machinery – sparks • use of fire for land management • relevant operations affected 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Forestry <ul style="list-style-type: none"> • use of machinery – sparks • relevant operations affected • Use of firebreaks 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Apiculture (beekeeping) <ul style="list-style-type: none"> • Use of smoke • Use of fire to destroy infested hives 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> • Impacted by restrictions on activities for suppliers 	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tourism and recreation <ul style="list-style-type: none"> • People unfamiliar with local fire risk and rules • Access to locations may be restricted 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

**Lifeline
utilities/other
infrastructure**

Lifeline utility/ other infrastructure	Contributes to increased risk of fire in high risk conditions	Affected by use of fire control measures	Needs to be protected by using fire control measures
Electricity transmission lines <ul style="list-style-type: none"> • Sparking during high winds • Use of auto-reclosers limited in high fire danger • Recommended vegetation mitigation practices 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Railway line <ul style="list-style-type: none"> • Sparks from passing trains and during track maintenance 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Road network <ul style="list-style-type: none"> • Sparks from vehicle malfunction, discarded cigarettes • Spark causing activities during road maintenance and mowing 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Natural gas distribution network <ul style="list-style-type: none"> • Gas leaks • Protected by own controls on use of fire and other activities in vicinity 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Telecommunications network <ul style="list-style-type: none"> • Protect by applying controls to surrounding areas 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Power/gas lines or other infrastructure in zone that may affect or be affected when Fire and Emergency exercises its fire control powers – e.g. powerline auto reclosers.

**Recreational
locations**

There are no recreational locations impacted in this zone.

**Cultural and
recreational
activities and
events**

Tangata whenua have very strong ties to their whenua (land) and culture, and value being able to use their whenua without unnecessary restrictions.

We will consult with tangata whenua and consider the needs of iwi when making decisions about implementing restrictions or prohibitions with our fire control powers. The relevant iwi for this zone are listed as stakeholders.

Large scale events that might be cancelled because a restriction on activities can have a significant economic impact.

Placing restrictions or prohibitions on fire hazardous activities should not impose any unreasonable restrictions on people living and enjoying recreational activities in this zone.

Table continues over page

Special risk areas	Cultural and recreational activities and events	Contributes to increased risk of fire in high risk conditions	Affected by use of fire control measures	Needs to be protected by using of fire control measures
	Cultural cooking, e.g. Hāngī	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Fireworks <ul style="list-style-type: none"> Use may be prohibited during high fire danger Pyrotechnics managed by other approvals 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Mountain biking, horseriding, back country running <ul style="list-style-type: none"> Access may be restricted during high fire danger 	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	<ul style="list-style-type: none"> Campfires Increase in people without knowledge of fire risk or rules 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Special risk area	Contributes to increased risk of fire in high risk conditions	Affected by use of fire control measures	Needs to be protected by using of fire control measures
	Public conservation land <ul style="list-style-type: none"> Ecological values at risk In own zone to apply separate controls 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Known fire hazards There are no long-term fire hazards listed in this zone in the Fire Hazard Removal Case Management System.

Predominant fuel type The predominant fuel type in this zone is Pastoral land.

Thresholds

Fire seasons Due to the values at risk the Ngaere Peat Swamp Zone is kept in a restricted fire season. Even when the surrounding zones go into Open season, Ngaere Peat Swamp will remain in a restricted season. All fires are by permit only.

Thresholds for declaring or revoking a prohibited fire season are the same as the thresholds for the surrounding zone.

Build-up Index (BUI) and the degree of grass curing (GC%) are the most relevant fire weather indices to monitor where there is a mixture of forestry and grasslands as the predominant fuel types.

Table continues over page

Grass Curing (GC%)	Build Up Index (BUI)		
(%)	0-40	40-60	>60
0-50	Restricted	Restricted	Restricted/Prohibited
50-80	Restricted	Restricted/Prohibited	Prohibited
>80	Restricted/Prohibited	Prohibited	Prohibited

Interpreting this matrix:

Restricted	Restricted fire season
Restricted/prohibited	Restricted Fire Season but we may move to a prohibited season earlier if forecast conditions support this or stay in a prohibited season longer if grasses remain dry and cured.
Prohibited	Prohibited fire season

Prohibition on fires in open air (section 52)

We can use the same Fire Weather System trigger thresholds for prohibiting fires in the open air under section 52 as we do for changing to a prohibited fire season but use section 52 when the fire risk conditions are not expected to last long enough to make changing to a prohibited fire season practical.

Other local thresholds have been set.

Prohibitions or restrictions on activities (section 52)

Localised trigger thresholds for applying section 52 to activities have not yet been developed, however there are some local mitigations used to reduce the need to implement it.

Roadside mowing, mowing, ploughing or harrowing fields

Fire and emergency have a Mowing and Hot works group which was established to provide advice on current and forecast fire weather conditions during elevated risk. This allows spark hazardous operators to implement mitigation measures or stop work when risk is high.

Powerline auto-reclosers

Fire and Emergency will consult with local lines companies about what mitigations they will apply during times of increased fire risk.

Advice is available through check it's alright for when to avoid certain activities that may be of risk for causing a wildfire. Noting these are voluntary restrictions it is envisaged the majority of public will follow this, where there is an elevated risk or public are not following this advice, imposing prohibitions or restrictions on activities is a tool available to us.

Representative remote automated weather stations

The Remote Automated Weather Stations (RAWS) used to determine whether we have reached the trigger thresholds are:


New Plymouth Aero Club	Waverley	Tikorangi
Eltham	Ōpunake	Whareroa
Marco	Ōkato	Ngamatapouri

We will consider the forecast for these locations when declaring or revoking a fire season.

The weather stations collectively provide hourly data. This data is assessed daily and used to help determine the fire season status.

Decisions surrounding change of fire season also consider upcoming weather predictions along with collected data from weather stations and local knowledge, which is determined by a trained professional.


Zone Map



Public Conservation Land

Geography	The Public Conservation Land (PCL) zone is made of alpine, sub alpine, podocarp, beech, scrubland, wetland, coastal and significant waterways.
Climate/weather	<p>This zone has a temperate climate. Situated on the Western side of the North Island, it is exposed to all weather systems moving from the West. Being surrounded by ocean, annual mean land temperature varies between about 11 to 14°C in lowland parts of the region. Average annual rainfall totals in the region vary, with a narrow coastal strip receiving in the order of 1400 - 1600 mm. Most of the area has rainfall in excess of 1800 mm and reaching in excess of 5000 mm on the slopes of Mt Taranaki.</p> <p>Dry conditions and drought in the Taranaki region occur during episodes of Easterly flow with anticyclones occurring east of the South Island. The northern part of the region experiences some rainfall deficit, but the Southern coast is drier.</p>
Land cover	<p>The public conservation land is made of alpine, sub alpine, podocarp, beech, scrubland, wetland, coastal and significant waterways. It is predominantly indigenous forest; the main focal point is Mt Taranaki/Egmont National Park, which is low risk due to the high rainfall.</p> <p>The coastal areas carry particularly volatile coastal scrub and are often subject to extreme weather conditions. Risks in remote areas are increased by a range of alternative heating, cooking, lighting and power sources requiring the storage of large quantities of highly flammable liquid fuels, solid fuels and liquefied gas.</p> <p>Rural land use and land cover varies greatly across the district with a mix of pastoral and horticulture in the western areas, and forestry in the eastern and southern areas as well as the large areas of native bush and regenerating scrub, often with high environmental and conservation values.</p>
Special risk areas	<p>No additional special risk areas.</p> <p>We must consider the risk from use of fire as a land management tool for landowners adjacent to public conservation land.</p>
Known fire hazards	There are no fire hazards listed in the fire hazard removal case management system for this zone.
Thresholds	
Restricted seasons year round	<p>Due to the values at risk, public conservation lands are kept in a restricted fire season when they are not in a prohibited fire season. Even when the surrounding zone goes to an open fire season, public conservation land will remain in a restricted fire season.</p> <p>Thresholds for declaring or revoking a prohibited fire season are the same as the thresholds for the surrounding zone.</p>

Map



Appendix 1 - Taranaki land cover map

